




भारत का राजपत्र

The Gazette of India

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY



सं० 35]

नई दिल्ली, शनिवार, सितम्बर 1, 1973/भाद्र 10, 1895

No. 35] NEW DELHI, SATURDAY, SEPTEMBER 1, 1973/BHADRA 10, 1895

इस भाग में भिन्न पृष्ठ संख्या दी जाती हैं जिससे कि यह अलग संकलन के रूप में रखा जा सके।

Separate Paging is given to this part in order that it may be filed as a separate compilation.

भाग II—खण्ड 3—उप-खण्ड (i)

PART II—Section 3—Sub-section (i)

(रक्षा मंत्रालय को छोड़कर) भारत सरकार के मंत्रालयों और (संघ राज्य क्षेत्र प्रशासनों को छोड़कर) केंद्रीय प्राधिकारियों द्वारा जारी किये गये विधि के अन्तर्गत बनाए और जारी किए गए साधारण नियम जिनमें साधारण प्रकार के आदेश, उपनियम और सम्मिलित हैं।

General Statutory Rules (including orders, bye-laws etc. of a general character) issued by the Ministries of the Government of India (other than the Ministry of Defence) and by Central Authorities (other than the Administrations of Union Territories).

विधि, न्याय और कम्पनी कार्य मंत्रालय
(विधि कार्य विभाग)

नई दिल्ली, 13 जुलाई, 1973

MINISTRY OF LAW, JUSTICE AND COMPANY
AFFAIRS

(Department of Legal Affairs)

New Delhi, the 13th July, 1973

सा. क्र. नि. 925.—सिविल प्रक्रिया संहिता, 1908 (1908 का 5) की प्रथम अनुसूची के आदेश 27 के नियम 1 द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, केंद्रीय सरकार एतद्द्वारा, केंद्रीय सरकार द्वारा या उसके विरुद्ध सिविल अधिकारिता के किसी न्यायालय में वादों में वाक्-पत्रों और लिखित कथनों को हस्ताक्षरित करने और सत्यापित करने के संबंध में, भारत सरकार के विधि मंत्रालय की अधिसूचना सं. क्र. नि. आ. 351, तारीख 25 जनवरी, 1958 में निम्नीलिखित और संशोधन करती है, अर्थात्:—

उक्त अधिसूचना की अनुसूची में, "कोई बन्दोबस्त आयुक्त" प्रविष्टि के पश्चात् शीर्षक "18-निर्माण, आवास तथा पुनर्वास मंत्रालय" के अधीन, उपशीर्षक "पुनर्वास विभाग" के अधीन निम्नलिखित प्रविष्टि अन्तःस्थापित की जाएगी, अर्थात्:—

"बन्दोबस्त अधिकारी,
उप-अभिरक्षक"

G.S.R. 925.—In exercise of the powers conferred by rule 1 of order XXVII of the First Schedule to the Code of Civil Procedure, 1908 (5 of 1908), the Central Government hereby makes the following further amendments in the notification of the Government of India in the Ministry of Law No. SRO-351, dated the 25th January, 1958, relating to the signing and verification of plaints and written statement in suite in any court of civil jurisdiction by or against the Central Government, namely:—

In the Schedule to the said notification, under the heading "XVIII-Ministry of Works, Housing and Rehabilitation", under the sub-heading "Department of Rehabilitation", after the entry 'Any Settlement Commissioner', the following shall be inserted namely:—

"Settlement Officer,
Deputy Custodian"

[सं. क्र. 16(1)/72-न्या.]
एच. सी. गुप्ता, उप-विधि सलाहकार

[No. F. 16(1)/72-Judl]
H. C. GUPTA, Deputy Legal Adviser.

वित्त मंत्रालय

(राजस्व और बीमा विभाग)

नई दिल्ली, 1 सितम्बर, 1973

केन्द्रीय उत्पाद-शुल्क

सा. क्र. नि. 926.—केन्द्रीय उत्पाद-शुल्क नियम, 1944 के नियम 8 के उप-नियम (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार केन्द्रीय उत्पाद-शुल्क और सवण अधिनियम, 1944 (1944 का 1) की प्रथम अनुसूची की मधु 22 ए के अधीन आने वाले और केन्द्रीय सरकार से सम्बद्ध सरकारी आयुध विभाग परिधान कारखाने में उत्पादित और संघ के सशस्त्र बलों के सदस्यों द्वारा उपयोग किए जाने के लिए आशयित मिले सिलाए कपड़ों को उन पर सम्यक् रूप से प्रभावी समस्त उत्पाद-शुल्क से छूट देती है।

[सं. 164/73 फ. सं. 73/9/71-सी. एक्स 2]

ज. पी. काँशिक, अवर सचिव

MINISTRY OF FINANCE

(Department of Revenue & Insurance)

New Delhi, the 1st September, 1973

CENTRAL EXCISES

G.S.R. 926.—In exercise of the powers conferred by sub-rule (1) of Rule 8 of the Central Excise Rules, 1944, the Central Government hereby exempts articles of ready-to-wear apparel falling under item 22-D of the First Schedule to the Central Excises and Salt Act, 1944 (1 of 1944), and produced in the Government Ordnance Clothing Factories belonging to the Central Government and intended for consumption by members of the armed forces of the Union, from the whole of the excise duty leviable thereon.

[No. 164/73 F. No. 73/9/71 CX-2]

J. P. KAUSHIK, Under Secy.

सा.क्र. नि. 927.—केन्द्रीय उत्पाद-शुल्क नियम, 1944 के नियम 8 के उप-नियम (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार इससे उपाबद्ध सारणी के स्तंभ (1) में वर्णित उत्पाद-शुल्क योग्य भास [जो केन्द्रीय उत्पाद-शुल्क और सवण अधिनियम, 1944 (1944 का 1) की प्रथम अनुसूची की मधु सं. 1-ग के अन्तर्गत आते हैं] के नमूनों को सारणी के स्तंभ (2) और (3) की तत्स्थानी प्रविष्टियों में अधिकथित निर्बन्धन और शर्तों के अधीन रहते हुए, उस पर उद्ग्रहणीय सम्पूर्ण शुल्क से छूट देती है, अर्थात्:—

सारणी

नमूनों के रूप में हटाए गए माल का वर्णन

भार के बारे में निर्बन्धन

शर्तें

1 2 3

बिस्कुट 250 ग्राम से अनधिक (1) कारखाने जिसमें अनु-संघान और विकास प्रभाग भी सम्मिलित हैं, के भीतर या बाहर परीक्षण/परीक्षा के लिए लाए गए।

(2) स्वास्थ्य और खाद्य अपमिश्रण निवारण अधिनियम के अधीन प्राधिकारियों द्वारा परीक्षण के लिए लाए गए।

परन्तु यह कि:—

(i) ऐसे प्रत्येक मामले में, जहाँ नमूनों को उत्पाद-कारखाने के बाहर परीक्षण/परीक्षा के लिए लाया गया हो, वहाँ उपर्युक्त सारणी के स्तंभ 3 में वर्णित प्रयोजनों के लिए क्रमिक नमूनों के उपयोग का सबूत जो केन्द्रीय उत्पाद-शुल्क के उचित अधिकारों के समाधान प्रद रूप में हों, उत्पाद-कारखाने द्वारा तीस दिन के बंदर या कारखाने से ऐसे नमूनों को हटाए जाने की तारीख से ऐसी बढ़ाई गई अवधि के अन्तर, जो केन्द्रीय उत्पाद-शुल्क कलक्टर परिस्थितियों को ध्यान में रखते हुए, अनुमान करे, प्रस्तुत किया जाएगा;

(ii) स्वास्थ्य और खाद्य अपमिश्रण निवारण अधिनियम के अधीन प्राधिकारियों द्वारा परीक्षण के लिए लाए गए नमूनों की बहा के सिवाय, ऐसे नमूनों के सभी अवशेष उत्पाद-कारखाने को वापिस कर दिए जाएंगे।

[सं. 169/73-केन्द्रीय उत्पाद-शुल्क/का. सं. 12/4/73-सी. एक्स. 1]

एस. नारायणन, अवर सचिव

G.S.R. 927.—In exercise of the powers conferred by sub-rule (1) of rule 8 of the Central Excise Rules, 1944, the Central Government exempts samples of excisable goods mentioned in column (1) of the Table hereto annexed [falling under item No. 1C of the First Schedule to the Central Excises and Salt Act, 1944 (1 of 1944)] from the whole of the duty leviable thereon subject to the limitation and conditions laid down in the corresponding entries in columns (2) and (3) thereof, namely:—

TABLE

Description of goods removed as samples	Limitation with regard to weight	Conditions
1	2	3
Biscuits	Not exceeding 250 grams.	(1) Drawn for test/examination or outside the factory including research and development division. (2) Drawn for test by the authorities under the Health and Prevention of Food Adulteration Act.

Provided that—

(i) in every case where samples are drawn for test/examination outside the factory of production, the proof of use, to the satisfaction of the proper officer of Central Excise, of the respective samples for the purposes mentioned in column 3 of the Table above shall be produced by the factory of production within thirty days or within such extended period from the date of removal of such samples from the factory as the Collector of Central Excise, may, having regard to the circumstances, allow;

(ii) except in the case of samples drawn for test by the authorities under the Health and Prevention of Food Adulteration Act, all remnants of such samples shall be returned to the factory of production.

[No. 169/73—CE/F. No. 12/4/73 CX. 1]

S.R. NARAYANAN, Under Secy.

औषधीय और प्रसाधन निर्मितियाँ

सा. का. नि. 928.—औषधीय और प्रसाधन निर्मितियों (उत्पाद-शुल्क) नियम, 1956 के नियम 60 के उपनियम (3) के अनुसरण में और स्थायी समिति की सलाह पर तथा भारत के राजपत्र, भाग 2, खण्ड 3(1), तारीख 14 अगस्त, 1971 के पृष्ठ 3181 में प्रकाशित अधिसूचना सं. सा. का. नि. 1167 के अधि-क्रान्त करते हुए, केन्द्रीय सरकार घोषणा करती है कि मैसर्स डा. बाल चन्द्र लेबोरेटरी, मुम्बई द्वारा विनिर्मित औषधीय निर्मितियाँ न्यूरोपेथ के औषधीय और प्रसाधन विनिर्मितियाँ (उत्पाद-शुल्क अधिनियम, 1955 की अनुसूची की मधु 1(1)(क) के अन्तर्गत आने वाली अनिर्बन्धित निर्मितियों के प्रवर्ग में सम्मिलित किया जाएगा।

[फा. सं. 656/4/72-अफीम]

MEDICINAL AND TOILET PREPARATIONS

G.S.R. 928.—In pursuance of sub-rule (3) of rule 60 of the Medicinal and Toilet Preparations (Excise Duties) Rules, 1956 and on the advice of the Standing Committee and in supersession of the notification No. GSR 1167 published in page 3181 of the Gazette of India Part II, Section 3(i), dated the 14th August, 1971, the Central Government hereby declares that the medicinal preparation UNROPEP manufactured by Messers Dr. Bhalchandra Laboratory, Bombay, shall be included in the category of unrestricted preparations falling under item 1(i) (a) of the Schedule to the Medicinal and Toilet Preparations (Excise Duties) Act, 1955 (16 of 1955).

[F. No. 656/4/72—OPIUM]

सा. का. नि. 929.—औषधीय और प्रसाधन निर्मितियों (उत्पाद-शुल्क) नियम, 1956 के नियम 60 के उपनियम (3) के अनुसरण में और स्थायी समिति की सलाह पर केन्द्रीय सरकार घोषणा करती है कि मैसर्स विल्को लेबोरेटरीज, मुम्बई द्वारा विनिर्मित नई, औषधीय निर्मित 'विल्को टोनिक' का औषधीय और प्रसाधन निर्मितियाँ (उत्पाद-शुल्क) अधिनियम, 1955 (1955 का 16) की अनुसूची की मधु (1) (क) के अन्तर्गत आने वाली अनिर्बन्धित निर्मितियों के प्रवर्ग में सम्मिलित कर लिया जाएगा।

[फा. सं. 656/6/72-अफीम]

ज. रामकृष्णन, अवर सचिव

G.S.R. 929.—In pursuance of sub-rule (3) of rule 60 of the Medicinal and Toilet Preparations (Excise Duties) Rules, 1956 and on the advice of the Standing Committee, the Central Government hereby declares that the new medicinal preparation 'VILCO TONIC' manufactured by Messers Vilco Laboratories, Bombay, shall be included in the category of unrestricted preparations falling under item 1(i) (a) of the Schedule to the Medicinal and Toilet Preparations (Excise Duties) Act, 1955 (16 of 1955).

[F. No. 656/6/72—OPIUM]

J. RAMAKRISHNAN, Under Secy.

गृह मंत्रालय

नई दिल्ली, 18 अगस्त, 1973

सा. का. नि. 930.—राष्ट्रपति, संविधान के अनुच्छेद 309 के प्रत्यक्ष द्वारा प्रकृत शक्तियों का प्रयोग करते हुए, केन्द्रीय आरक्षित पुलिस बल महानिदेशालय में लोक प्रेस संबंध अधिकारी के पद पर

भर्ती की पद्धति को विनियमित करने वाले निम्नीलिखित नियम एतद्द्वारा बनाते हैं, अर्थात्:—

1. सीक्षित नाम और प्रारम्भ.—(1) इन नियमों का नाम केन्द्रीय आरक्षित पुलिस बल (लोक प्रेस संबंध अधिकारी) भर्ती नियम, 1973 होगा।

(2) ये शासकीय राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. लागू होना.—ये नियम इससे उपाबद्ध अनुसूची के स्तम्भ 1 में विनिर्दिष्ट पद के लागू होंगे।

3. पद-संख्या, वर्गीकरण और वतनमान.—उक्त पदों की संख्या, उनका वर्गीकरण और उनके वतनमान ये होंगे जो उक्त अनुसूची के स्तम्भ 2 से 4 तक में विनिर्दिष्ट हैं।

4. भर्ती की पद्धति, आयु-सीमा, अर्हताएं और अन्य बातें.—उक्त पद पर भर्ती की पद्धति, आयु-सीमा, अर्हताएं और उससे संबंधित अन्य बातें वे होंगी जो उक्त अनुसूची के स्तम्भ 5 से 13 तक में विनिर्दिष्ट हैं:—

5. निरहताएं.—वह व्यक्ति—

(क) जिसने ऐसे व्यक्ति से जिसका पति या जिसकी पत्नी जीवित है, विवाह किया है, या

(ख) जिसने अपने पति या अपनी पत्नी के जीवित होते किसी व्यक्ति से विवाह किया है,

उक्त पद में नियुक्त का पात्र नहीं होगा:

परन्तु यदि केन्द्रीय सरकार का समाधान हो जाए कि ऐसा विवाह ऐसे व्यक्ति और विवाह के अन्य पक्षकार को लागू स्वीय विधि के अधीन अनुज्ञेय है और ऐसा करने के लिए अन्य आधार मौजूद हैं तो वह किसी व्यक्ति को इस नियम के प्रवर्तन से छूट दे सकेगी।

6. शिथिल करने की शक्ति.—जहां केन्द्रीय सरकार की राय हो कि ऐसा करना आवश्यक या समीचीन है वहां, वह, उसके लिए जो कारण हैं उन्हें लिपिबद्ध करके तथा संघ लोक सेवा आयोग से परामर्श करके, इन नियमों के किसी उपबंध को, किसी वर्ग या प्रवर्ग के व्यक्तियों या पदों की बाबत, आदेश द्वारा, शिथिल कर सकेगी।

7. व्यावृत्ति.—इन नियमों की कोई भी बात ऐसे आरक्षणों और अन्य रियायतों पर प्रभाव नहीं डालेगी जिनका, केन्द्रीय सरकार द्वारा इस संबंध में समय-समय पर निकाले गए आदेशों के अनुसार अनुसूचित जातियों, अनुसूचित जनजातियों और अन्य विशेष प्रवर्ग के व्यक्तियों के लिए उपबंध करना अपेक्षित है।

अनुसूची

पद का नाम	पदों की संख्या	वर्गीकरण	वेतनमान	जयन्त पद अथवा अचयन पद	सीधे भर्ती किए जाने वाले व्यक्ति-तयों के लिए प्रायः	भर्ती किए जाने वाले व्यक्तियों के लिए अपेक्षित शैक्षिक और अन्य अर्हताएं
1	2	3	4	5	6	7
लोक प्रेम संबंध अधिकारी	1	सामान्य केन्द्रीय सेवा वर्ग I अननुमतिवीय	700-40-1100-50/2 1250	लागू नहीं होता।	35 वर्ष (सरकारी सेवकों के लिए शिथिलनीय)	1. मान्यता प्राप्त विश्वविद्यालय की उपाधि या समतुल्य उपाधि। 2. समाचार एजेंसी या बधाति-प्राप्त विज्ञापन संगठन में उत्तरदायित्व पूर्ण पद पर कार्य करने का लगभग पांच वर्ष का अनुभव। (अन्यथा सुप्रसिद्ध अभ्यर्थियों की वृत्ति में अर्हताएं आयोग के विवेकानुसार शिथिलनीय)
सीधे भर्ती किए जाने वाले व्यक्तियों के लिए विहित प्रायः और शैक्षिक अर्हताएं प्रोन्नतों की वृत्ति में लागू होंगी या नहीं।	परिवीक्षा की अवधि यदि कोई हो।	भर्ती की पद्धति/भर्ती सीधे होगी या प्रोन्नति द्वारा या प्रतियुक्ति/स्थानान्तरण द्वारा तथा विभिन्न पद्धतियों द्वारा भरी जाने वाली रिक्तियों का प्रतिशत।	प्रोन्नति/प्रतियुक्ति/स्थानान्तरण द्वारा भर्ती की दशा में वे श्रेणियां जिनसे प्रोन्नति/प्रतियुक्ति/स्थानान्तरण किया जाएगा।	यदि विभागीय प्रोन्नति समिति है तो उसकी संरचना।	भर्ती करने में किन परिस्थितियों में संघ संकेत सेवा आयोग से परामर्श किया जाएगा।	
8	9	10	11	12	13	
लागू नहीं होता।	दो वर्ष	सीधे भर्ती द्वारा जिसके न होने पर प्रतियुक्ति पर स्थानान्तरण द्वारा।	अधिकारी जो केन्द्रीय सरकार के अधीन सदृश पद धारण करते हैं या जिनको 400-950 के वेतनमान में या समतुल्य पदों पर काम से कम पांच वर्ष का सेवा काल है तथा जिनकी अर्हताएं व अनुभव वही हैं जो स्लैब 7 के अधीन सीधे भर्ती के लिए विहित है। (प्रतियुक्ति की अवधि सामान्यतः 3 वर्ष से अधिक होगी)	लागू नहीं होता।	संघ-लोक सेवा आयोग (परामर्श से कूट) किन-यम 1958 के अधीन तथा अपेक्षित।	

MINISTRY OF HOME AFFAIRS

New Delhi, the 18 August, 1973

G.S.R. 930.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules regulating the method of recruitment to the post of Public Press Relation Officer in the Directorate General, Central Reserve Police Force namely :—

1. (1) **Short title and commencement.**—These rules may be called the Central Reserve Police Force (Public Press Relation Officer) Recruitment Rules, 1973;

(2) They shall come into force on the date of their publication in the Official Gazette.

2. **Application.**—These rules shall apply to the post specified in column 1 of the Schedule hereto annexed.

3. **Number, classification and scale of pay.**—The number of the said post, its classification and the scale of pay attached thereto, shall be as specified in columns 2 to 4 of the said Schedule.

4. **Method of recruitment, age limit, qualifications etc.**—The method of recruitment, age limit, qualifications and other matters relating to the said post shall be as specified in columns 5 to 13 of the said Schedule.

5. **Disqualifications.**—No person—

- (1) who has entered into, or contracted a marriage with a person having a spouse living, or
- (2) who, having a spouse living, has entered into or contracted a marriage with any person, shall be eligible for appointment to the said post;

Provided that the Central Government may, if satisfied that such marriage is permissible under personal law applicable to such person and the other party to the marriage and there are other grounds for so doing, exempt any person from the operation of this rule.

6. **Powers to relax.**—Where the Central Government is of the opinion that it is necessary or expedient so to do, it may, for reasons to be recorded in writing, and in consultation with the Union Public Service Commission, relax any of the provisions of these rules with respect to any class or category of persons.

7. **Saving.**—Nothing in these rules shall affect reservations and other concessions required to be provided for the Scheduled Castes or Scheduled Tribes and other special categories of persons in accordance with the orders issued by the Central Government from time to time.

SCHEDULE

Name of post	No. of post	Classification	Scale of pay	Whether selection post or non selection Post.	Age limit for direct recruits.	Educational and other qualifications required for direct recruits.
1	2	3	4	5	6	7
Public Press Relation Officer	1	General Central Service Class I Non-Ministerial	Rs. 700-40-1100-50/2-1250	Not Applicable	35 years (Relaxable for Govt. Servants).	Essential : (i) Degree of a recognised University or equivalent (ii) About 5 years experiences in responsible capacity in a news agency, newspaper or publicity organisation of standing. (Qualifications relaxable at Commission's discretion in case of candidates otherwise well qualified).
Whether age and educational qualifications prescribed for direct recruits will apply in the case of Promotees.	Period of probation if any	Method of rectt. whether by direct rectt. or by promotion or by deputation/transfer & percentage of the vacancies to be filled by various methods.	In case of rectt. by promotion/deputation/transfer, grades from which promotion/deputation/transfer to be made.	If a DPC exists what is its composition.	Circumstances in which UPSC is to be consulted in making rectt.	
8	9	10	11	12	13	
Not applicable	2 years	By direct recruitment failing which by transfer on deputation	Transfer on deputation: Officers under the Central Government ¹ holding analogous posts or with at least 5 years service in posts in the scale of Rs. 400-950 or equivalent and possessing the qualifications and experience prescribed for direct/recruits under column 7. (Period of deputation ordinarily not exceeding 3 years)	Not Applicable	As required under the Union Public Service Commission (Exemption from Consultation) Regulations, 1958.	

नई दिल्ली, 20 अगस्त, 1973

The following translation in Hindi of the Intelligence Bureau (Diesel Engine Driver) Recruitment Rules, 1973 is hereby published under the authority of the President and shall be deemed to be the authoritative text thereof in Hindi under clause (b) of sub-section (1) of Section 5, read with sub-section (3) of Section 3, of the Official Languages Act, 1963 (19 of 1963).

सा. का. नि. 931.—राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, गृह मंत्रालय के खुफिया ब्यूरो में डीजल इंजन चालक के पद पर भर्ती की पद्धति का विनियमित करने वाले निम्नलिखित नियम बनाते हैं, अर्थात् :—

1. संक्षिप्त नाम और प्रारम्भ.—(1) इन नियमों का नाम खुफिया ब्यूरो (डीजल इंजन चालक) भर्ती नियम, 1973 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. पद-संख्या, वर्गीकरण और वेतनमान.—पद की संख्या, उसका वर्गीकरण और उसका वेतनमान वे होंगे जो इससे उपाबंध अनुसूची के स्तंभ 2 से 4 तक में विनिर्दिष्ट हैं।

3. भर्ती की पद्धति, आयु-सीमा, अर्हताएं आदि.—उक्त पद पर भर्ती की पद्धति, आयु-सीमा, अर्हताएं और उनसे संबंधित अन्य बातें वे होंगी जो उक्त अनुसूची के स्तंभ 5 से 13 तक में विनिर्दिष्ट हैं।

4. निरर्हताएं—वह व्यक्ति—

(क) जिसने ऐसे व्यक्ति से जिसका पति या जिसकी पत्नी जीवित है, विवाह किया है, या

(ख) जिसने अपने पति या अपनी पत्नी के जीवित होते हुए किसी व्यक्ति से विवाह किया है ;

उक्त पद पर नियुक्ति का पात्र नहीं होगा :

परन्तु यदि केन्द्रीय सरकार का समाधान हो जाए कि ऐसा विवाह ऐसे व्यक्ति और विवाह के अन्य पक्षकार को लागू स्वीय विधि के अधीन अनुज्ञेय है और ऐसा करने के लिए अन्य आधार मौजूद हैं तो वह किसी व्यक्ति को इस नियम के प्रवर्तन से छूट दे सकेगी।

5. शिथिल करने की शक्ति.—जहां केन्द्रीय सरकार की राय हो कि ऐसा करना आवश्यक या समीचीन है वहां, वह, उसके लिए

जो कारण हैं उन्हें लिपिबद्ध करके तथा संघ लोक सेवा आयोग से परामर्श करके, इन नियमों के किसी उपबंध की, किसी वर्ग या प्रवर्ग के व्यक्तियों की बाबत, आदेश द्वारा, शिथिल कर सकेगी।

6. व्यापकता.—इन नियमों की कोई भी बात ऐसे आरक्षणों और अन्य रियायतों पर प्रभाव नहीं डालेगी जिनका, केन्द्रीय सरकार द्वारा इस संबंध में समय-समय पर निकाले गए आदेशों के अनुसार अनुसूचित जातियों और अनुसूचित जनजातियों और अन्य विशेष प्रवर्ग के व्यक्तियों के लिए उपबंध करना अपेक्षित है।

अनुसूची

पद का नाम	पदों की संख्या	वर्गीकरण	वेतनमान	न्यूनतम पद अथवा प्रचलन पद	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए आयु-सीमा	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए प्रपेक्षित शैक्षिक और अन्य अर्हताएं
1	2	3	4	5	6	7
डीजल इंजन चालक	एक	साधारण केन्द्रीय सेवा वर्ग 4 अनुसूचि-बीय	85-2-95-द०रो०-3-110 रु०	लागू नहीं होता	18-30 वर्ष	आवश्यक . हिन्दी का कामकाज ज्ञान/मोटर यान्त्रिक/या बिजली मिस्त्री के व्यवसाय में औद्योगिक प्रशिक्षण संस्थान का डिप्लोमा। बैंगनीय : किसी बिजली घर, मोटर मरम्मत कर्मशाला, नौराज में 2 वर्ष का व्यवहारिक अनुभव।

सीधे भर्ती किए जाने वाले व्यक्तियों के लिए विहित आयु और शैक्षिक अर्हताएं प्रोत्तों की दशा में लागू होंगी या नहीं	परिबीक्षा की अवधि, यदि कोई हो	भर्ती की पद्धति/भर्ती सीधे होगी या प्रतियुक्ति/स्थानान्तरण द्वारा तथा विभिन्न पद्धतियों द्वारा भर्ती जाने वाली निमित्तों का प्रतिफल	प्रोत्त/प्रतियुक्ति/स्थानान्तरण द्वारा भर्ती की दशा में वे श्रेणियों जिनमें प्रोत्त/प्रतियुक्ति/स्थानान्तरण किया जाएगा	यदि विभागीय प्रोत्त समिति है तो उसकी संरचना	भर्ती करने से किन परिस्थितियों में संघ लोक सेवा आयोग से परामर्श किया जाएगा
8	9	10	11	12	13
लागू नहीं होता	2 वर्ष	सीधी भर्ती द्वारा	लागू नहीं होता	लागू नहीं होता	लागू नहीं होता

New Delhi, the 20th August, 1973

G.S.R. 931.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules, regulating the method of recruitment to the post of Diesel Engine Driver in the Intelligence Bureau, Ministry of Home Affairs, namely:—

1. Short Title and Commencement.—(1) These rules may be called the Intelligence Bureau (Diesel Engine Driver) Recruitment Rules, 1973.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. Number, Classification and scale of Pay.—The number of post, its classification and the scale of pay attached thereto shall be as specified in columns 2 to 4 of the Schedule hereto annexed.

3. Method of recruitment, age limit, qualifications etc.—The method of recruitment to the said post, age limit, qualifications and other matters connected therewith shall be as specified in columns 5 to 13 of the said Schedule.

4. Disqualifications.—No person—

(a) who has entered into, or contracted a marriage with a person having a spouse living, or

(b) who, having spouse living has entered into, or contracted, a marriage with any person,

shall be eligible for appointment to the said posts :

Provided that the Central Government, may, if satisfied that such marriage is permissible under the personal law applicable to such person and the other party to the marriage and there are other grounds for so doing, exempt any person from the operation of this rule.

5. Power to relax.—Where the Central Government is of opinion that it is necessary or expedient so to do, it may, for reasons to be recorded in writing, relax any of the provisions of these rules with respect to any class or category of persons.

6. Saving.—Nothing in these rules shall affect reservations and other concessions required to be provided for Scheduled Castes and Scheduled Tribes and other special categories of persons in accordance with the orders issued by the Central Government from time to time.

SCHEDULE

Name of post	No. of posts	Classification	Scale of pay	Whether selection post or Non-selection post	Age limit for direct recruits	Educational and other qualifications required for direct recruitment
1	2	3	4	5	6	7
Diesel Engine Driver	One	General Central Service Class IV Ministerial.	Rs. 85-2-95-EB-3-110	Not applicable	18-30 years	<p>Essential:</p> <p>1. Working knowledge of Hindi.</p> <p>2. Industrial Training Institute Diploma in Motor Mechanic or Electrician Trade.</p> <p>Desirable:</p> <p>Practical experience of 2 years in a power House or Motor repairs Workshop or garage.</p>
Whether age and Educational qualifications prescribed for the direct recruits will apply in the case of promotees	Period of probation if any	Method of rectt. whether by direct rectt. or by promotion or by deputation/transfer and percentage of the vacancies to be filled by various methods	In case of rectt. by promotion/deputation/transfer grades from which promotion/deputation/transfer to be made	If a DPC exists what is its composition	Circumstances in which Union Public Service Commission is to be consulted in making recruitment.	
8	9	10	11	12	13	
Not applicable	2 years	By direct recruitment.	Not applicable	Not applicable	Not applicable	

नई दिल्ली, 22 अगस्त, 1973

सा. क. नि. 932.—राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, समन्वय निदेशालय (पुलिस बेतार) वर्ग 1 और वर्ग 2 पद भर्ती नियम, 1966 में संशोधन करने के लिए निम्नलिखित नियम बनाते हैं, अर्थात्:—

1. (1) इन नियमों का नाम समन्वय निदेशालय (पुलिस बेतार) वर्ग 1 और वर्ग 2 पद भर्ती (संशोधन) नियम, 1973 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. समन्वय निदेशालय (पुलिस बेतार) वर्ग 1 और वर्ग 2 पद भर्ती नियम, 1966 की अनुसूची में,

- (1) "निदेशक, पुलिस दूर-संचार" पद से संबंधित क्रम सं. 1 के सामने, स्तंभ 2 में, "प्रोन्नति" शीर्षक के अंतर्गत, "उप-निदेशक, जिन्होंने उस श्रेणी में 5 वर्ष की सेवा की हो" शब्दों और अंक के स्थान पर निम्नलिखित रखा जाएगा, अर्थात्:—

"प्रोन्नति:

- (1) अपर निदेशक, जिन्होंने उस श्रेणी में 2 वर्ष की सेवा की हो,
- (2) (1) के न होने पर, अपर निदेशक, जिन्होंने अपर निदेशक/उप-निदेशक की, दोनों को मिलाकर, श्रेणियों में 5 वर्ष की कुल सेवा की हो,
- (3) (1) और (2) के न होने पर, उप-निदेशक, जिन्होंने उस श्रेणी में 5 वर्ष की सेवा की हो।"
- (2) "अपर निदेशक" पद से संबंधित क्रम सं. 2 के सामने स्तंभ 2 में "प्रोन्नति" शीर्षक के अंतर्गत, "उप-निदेशक, जिन्होंने उस श्रेणी में 5 वर्ष की सेवा की हो" शब्दों और अंक के स्थान पर "उप-निदेशक, जिन्होंने उस श्रेणी में 3 वर्ष की सेवा की हो" शब्द और अंक रखे जाएंगे।

[सं. ए. 21/51/69-बेतार (पर्स-1)]

पी. के. जी. काइमल, अवर सचिव

New Delhi, the 22nd August, 1973

G.S.R. 932.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules further to amend the Directorate of Coordination (Police Wireless) Recruitment to Class I and Class II Posts Rules, 1966, namely:—

1. (1) These rules may be called the Directorate of Coordination (Police Wireless) Recruitment to Class I and Class II Posts (Amendment) Rules, 1973.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Schedule to the Directorate of Coordination (Police Wireless) Recruitment to Class I and Class II Posts Rules, 1966,

- (1) Against Serial No. 1 relating to the post of "Director, Police Telecommunications" in Column 11, under the heading "Promotion", for the words and figures "Deputy Director with 5 years service in

the grade", the following shall be substituted, namely:—

"Promotion:

(i) Additional Director with 2 years' service in the grade;

(ii) failing (i), Additional Director with 5 years total service in the grades of Additional Director/Deputy Director combined together;

(iii) failing (i) and (ii), Deputy Director with 5 years service in the grade";

(2) Against Serial No. 2 relating to the post of "Additional Director" in column 11, under the heading "Promotion", for the words and figure "Deputy Director with 5 years service in the Grade", the words and figure "Deputy Director with 3 years Service in the grade" shall be substituted.

[No. A. 21/51/69-Wireless (Pers. I)]

P. K. G. KAIMAL, Under Secy.

कृषि मंत्रालय

(कृषि विभाग)

नई दिल्ली, 8 अगस्त, 1973

सा० का० नि० 933.—राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय भूमिगत जल बोर्ड में सहायक प्रशासनिक अधिकारी के पद पर भर्ती की पद्धति को विनियमित करने वाले निम्नलिखित नियम बनाते हैं; अर्थात्:—

1. सक्षिप्त नाम और प्रारंभ:—(1) इन नियमों का नाम केन्द्रीय भूमिगत जल बोर्ड सहायक प्रशासनिक अधिकारी भर्ती नियम 1973 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. पद संख्या, वर्गीकरण और वेतनमान:—उक्त पद की संख्या, उसका वर्गीकरण और उसका वेतनमान वे होंगे जो इन नियमों के उपाखंड अनुसूची के स्तंभ 2 से 4 तक में विनिर्दिष्ट हैं।

3. भर्ती की पद्धति प्राप्ति सीमा ग्रहणार्थ प्राप्ति:—उक्त पद पर भर्ती की पद्धति, प्राप्ति सीमा, ग्रहणार्थ और उससे संबंधित अन्य बातें वे होंगी जो उक्त अनुसूची के स्तंभ 5 से 13 तक में विनिर्दिष्ट हैं।

4. निरहताएं:—वह व्यक्ति

(क) जिसने ऐसे व्यक्ति से जिसका पति जिसकी पत्नी जीवित है, विवाह किया है; या

(ख) जिसने अपने पति या अपनी पत्नी के जीवित होते हुए किसी व्यक्ति से विवाह किया है;

उक्त पद पर नियुक्ति का पात्र नहीं होगा।

परन्तु यदि केन्द्रीय सरकार का समाधान हो जाए कि ऐसा विवाह ऐसे व्यक्ति और विवाह के अन्य पक्षकार को लागू स्वीय विधि के अधीन अनुज्ञेय है और ऐसा करने के लिए अन्य आधार मौजूद है तो वह किसी व्यक्ति को इस नियम के प्रवर्तन से छूट दे सकेगी।

5. शिथिल करने की शक्ति:—जहां केन्द्रीय सरकार की राय हो कि ऐसा करना आवश्यक या समीचीन है वहां वह उसके लिए जो कारण हैं उन्हें सिपिबद्ध करके तथा संघ लोक सेवा आयोग से परामर्श करके, इन नियमों के किसी उपबन्ध को, किसी वर्ग या प्रवर्ग के व्यक्तियों की बाबत, प्रादेश द्वारा शिथिल कर सकेगी।

अनुसूची

पद का नाम	पदों की संख्या	वर्गीकरण	वेतनमान	अवकाश पद अथवा अवकाश पद	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए आयु-सीमा
1	2	3	4	5	6
सहायक प्रणामनिक अधिकारी	3	साधारण केन्द्रीय सेवा वर्ग 2 राजपत्रित अनुसूचिकीय	350-25-500-30-590-द०रो० 30-800-६०	अवकाश	लागू नहीं होता
सीधे भर्ती किए जाने वाले व्यक्तियों के लिए अपेक्षित शैक्षणिक और अन्य अर्हताएं	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए विहित आयु और शैक्षणिक अर्हताएं प्रोन्नति की दशा में लागू होगी या नहीं	परिक्षा की अवधि, यदि कोई हो			
7	8	9			
लागू नहीं होता	लागू नहीं होता	दो वर्ष			
भर्ती की पद्धति	प्रोन्नति/स्थानान्तरण द्वारा भर्ती की दशा में वे श्रेणियां जिनमें प्रोन्नति की जाएगी	यदि विभागीय प्रोन्नति समिति है तो उसकी संरचना	भर्ती करने में किन परिस्थितियों में संघ लोक सेवा आयोग से परामर्श किया जाएगा		
10	11	12	13		
प्रोन्नति द्वारा जिसके न हो सकने पर प्रतिनियुक्ति पर स्थानान्तरण द्वारा	प्रोन्नति कार्यालय अधीक्षक, जिनकी उस श्रेणी में नियमित आधार पर नियुक्ति के पश्चात् तीन वर्ष सेवा हो। प्रतिनियुक्ति पर स्थानान्तरण, केन्द्रीय सरकार के अधीन सर्वश्रेष्ठ पद धारण करने वाले या 210-530 रु० के वेतनमान वाले पदों में कम से कम 8 वर्ष की सेवा वाले या समतुल्य और स्थापन तथा सेवा सम्बन्धी कार्यों में अनुभव रखने वाले अधिकारी। (प्रतिनियुक्ति की अवधि सामान्यतया तीन वर्ष से अनधिक)	वर्ग--2 विभागीय प्रोन्नति समिति	संघ लोक सेवा आयोग (परामर्श से छूट) विनियम, 1958 के अधीन व्यवस्थित		

सं० 7-132/72-एम०आई०(ए)

एल० एल० लड्डा, उप-नियुक्ति

MINISTRY OF AGRICULTURE

(Department of Agriculture)

New Delhi, the 8th August, 1973

G.S.R. 933.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules regulating the method of recruitment to the post of Assistant Administrative Officer in the Central Ground Water Board, namely:—

63 G. I./73—2.

1. Short title and commencement:—(1) These rules may be called the Central Ground Water Board Assistant Administrative Officer Recruitment Rules, 1973.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. Number, classification and scale of Pay:—The number of the said post, its classification and the scale of pay attached thereto shall be as specified in columns 2 to 4 of the Schedule annexed to these rules.

3. **Method of Recruitment, age limit, qualifications, etc.:**—The method of recruitment, age limit, qualifications and other matters relating to the said post shall be as specified in columns 5 to 13 of the said Schedule.

4. **Disqualifications:**—No person,—

- (a) who has entered into or contracted a marriage with a person having a spouse living, or
- (b) who, having a spouse living, has entered into or contracted a marriage with any person,

shall be eligible for appointment to the said post.

Provided that the Central Government may, if satisfied, that such marriage is permissible under the personal law applicable to such person and the other party to the marriage and there are other grounds for so doing exempt any person from the operation of this rule.

5. **Power to relax:**—Where the Central Govt. is of opinion that it is necessary or expedient so to do, it may, by order, for reasons to be recorded in writing and in consultation with the Union Public Service Commission, relax any of the provisions of these rules with respect to any class or category of persons.

SCHEDULE

Name of post	No. of posts	Classification	Scale of pay	Whether selection post or Non-selection post	Age limit for direct recruits	Educational and other qualifications required for direct recruits
1	2	3	4	5	6	7
Assistant Administrative Officer	3	General Central Service Class II Gazetted Ministerial.	Rs. 350-25-500-30-590-EB-30-800	Selection	Not applicable	Not applicable
Whether age and educational qualifications prescribed for direct recruits will apply in the case of promotees	Period of probation	Method of recruitment	In case of recruitment by promotion/deputation/transfer, grades from which promotion/deputation/transfer to be made	If a Departmental Promotion Committee exists, what is its composition	Circumstances in which Union Public Service Commission is to be consulted in making recruitment	
8	9	10	11	12	13	
Not applicable	Two years	By promotion failing which by transfer on deputation.	Promotion : Office Superintendents with three years' service in the grade rendered after appointment thereto on a regular basis.	Class II Departmental Promotion Committee.	As required under the Union Public Service Commission (Exemption from Consultation) Regulations, 1958.	

Transfer on deputation:

Officers under the Central Government holding analogous posts or with atleast 8 years' service in posts in the scale of Rs. 210-530 or equivalent and having experience of establishment and accounts work. (Period of deputation ordinarily not exceeding three years).

Transfer on deputation:

Officers under the Central Government holding analogous posts or with at least 8 years' service in posts in the scale of Rs. 210-530 or equivalent and having experience of establishment and accounts work. (Period of deputation ordinarily not exceeding three years).

[No. 7-132/72-MI(A)]
L. N. LADDHA, Dy. Secy.

नई दिल्ली, 20 अगस्त, 1973

का० लि० प्रा० 934.—सम्बाकू श्रेणीकरण और बिन्दु नियम, 1937 में और संशोधन करने के लिए, नियमों का निम्नलिखित प्रारूप, जिसे कुछ उपज (श्रेणीकरण और बिन्दु) अधिनियम, 1937 (1937 का 1) की धारा 3 द्वारा प्रयत्न शक्तियों का प्रयोग करने हुए, केन्द्रीय सरकार बनाने की प्रस्तावना करती है। उक्त धारा द्वारा यथा अपेक्षित उन सभी व्यक्तियों की जानकारी के लिए, जिनका उम्मेद प्रभावित होना संभाव्य है, एतद्द्वारा प्रकाशित किया जाता है और एतद्द्वारा यह सूचना दी जाती है कि उक्त प्रारूप पर अधिसूचना के प्रकाशन की तारीख के एक महीने के बाद विचार किया जाएगा।

प्रारूप नियम

उक्त प्रारूप के सम्बन्ध में किसी व्यक्ति से ऊपर विनिर्दिष्ट तारीख से पूर्व प्राप्त होने वाले किसी आशेष या सुझाव पर केन्द्रीय सरकार द्वारा विचार किया जावेगा।

1. इन नियमों का नाम सम्बाकू श्रेणीकरण और बिन्दु (संशोधन) नियम, 1973 है।

2. सम्बाकू श्रेणीकरण और बिन्दु नियम 1937 में (1) नियम 7 में, प्राधिकार प्रमाणपत्र की विशेष शर्तों में सम्बन्धित श्रृंखला 'XXII' के स्थान पर श्रृंखला 'XXXVI' रखा जाएगा। (2) अनुसूची 'XXII' को अनुसूची XXXVI के रूप में पुनः संख्यांकित किया जाएगा और इस प्रकार पुनः संख्यांकित, अनुसूची से पहले निम्नलिखित अनुसूचियों XXII से XXXV तक अन्तः स्थापित की जाएगी, अर्थात्

अनुसूची XVII

आन्ध्र प्रदेश में उगाया जाने वाला अतिनिमित्त गन्ना पण्डित अति समाधित तम्बाकू का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग	बनावट	पन्ना	बाग	आकार	सुवास
1	2	3	4	5	6	7
डी० इन्फू० एफ०	भूरे से गहरा भूरा	मध्यम से मोटा	हल्के से भारी	पत्ते की सत्र के 1/4 से अधिक नहीं।	परिवर्ती	सुभित्त धुरदार सुवास।

अनुसूची XVIII

(सामान्यतः पश्चिमी बंगाल राज्य में उगाया जाने वाला) अतिनिमित्त, वायु समाधित निगार का तम्बाकू (दक्षिणी)* फिगर (निकोटिनाटा टायेकम) फिगर 1 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग**	बनावट	दाग †	आकार, रूप, पत्तों, सुवास ज्वलनशीलता	साधारण लक्षण	विशेषी
1	2	3	4	5	6	7
एम० बी० एफ०-i	जैतून हरा	मध्यम से शीघ्र	25 % से अधिक नहीं होगा।	15 सें० सी० से कम लम्बाई नहीं होगी। धूल तथा अन्य बाह्य द्रव्यों से रहित होगा, पन्ना हल्का से भारी होगा। अच्छी से साधारण सुवास तथा ज्वलनशील होगा।	तम्बाकू के पत्ते—उचित रूप से रंग, रंग, प्रकार या क्रम के लक्षण में समान होंगे, 2 छूट पर परिपक्व ठाम लगेंगे, 3 अच्छी तरह से वायु	
एम० बी० एफ०-ii	—यथोक्त—	शीघ्र से मोटे	65 % से अधिक नहीं होगा।	मध्यम से भारी पन्ना, साधारण से शीघ्र सुवास तथा साधारण ज्वलनशीलता। 12 से० सी० से कम लम्बाई नहीं होगी। धूल तथा अन्य बाह्य द्रव्यों से रहित होगा।	समाधित और गुंथाये गये होंगे तथा उचित तमी होगी, 1 कीटाणुओं द्वारा दी गई क्षति, मशीनी आघात तथा तमी अथवा फफूट से होने वाले धब्बों से समुचित रूप में मुक्त होंगे।	

*निगार फिगर तम्बाकू के पत्ते (वायु समाधित) में निकोटिनाटा टायेकम की कोई भी श्रेणी किस्म जाती है किन्तु किसी भी नमूने अथवा आधान पात्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकारात्मक गतियों के लिये तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध में बाद में निम्न श्रेणी की विनिर्देशों के अनुरूप तम्बाकू पत्तों की 1/16 छूट रहेगी।

†दाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति, प्रक्रियागत तथा रपत्र करने में होने वाली टूट-फूट और काने निशान आते हैं। स्मृति 4 में दिये गये अनुपात के आकड़े किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करते हैं।

अनुसूची XIX

(सामान्यतः पश्चिमी बंगाल, बिहार तथा उत्तर भारतीय राज्यों में उपजाया जाने वाला) अविनिर्मित, वायु संसाधित मिगार का तम्बाकू (उत्तरी) *फिलर (निकोटिआना टोबेकम) किस्म II का श्रेणी अभिधान तथा क्वालिटी की परिभाषा ।

श्रेणी अभिधान	रंग†	बनावट	दाग %‡	आकार, रूप, पत्ता, मुक्काम ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एन० बी० एफ०-I	हल्के से गहरा भूरा सा/परिवर्ती	मध्यम से औसत	25% से अधिक नहीं होगा।	15 से० मी० से कम लम्बाई नहीं होगी। धूल तथा अन्य बाह्य द्रव्यों से रहित होगे। पत्ती हल्की से भारी होगी। अच्छी से साधारण मुक्काम तथा ज्वलनशीलता होगे।	तम्बाकू के पत्ते — 1. उचित रूप से रूप, रंग प्रकार या किस्म के लक्षण में समान होंगे। 2. छूने पर परिपक्व ठोस लगेंगे। 3. अच्छी तरह से वायु संसाधित और सुखाये गये होंगे तथा उचित नमी होगी। 4. कीटाणुओं द्वारा की गई क्षति, मशीनी आघात तथा नमी अथवा फफूँद से होने वाले धब्बों से सम्बन्धित रूप से मुक्त होंगे।	
एन० बी० एफ०-II	—यथोक्त—	औसत से मंटे	65% से अधिक नहीं होंगे।	मध्यम से भारी पत्ता, साधारण से औसत मुक्काम तथा साधारण ज्वलन- शीलता, लम्बाई 12 से० मी० से कम नहीं होगी। धूल तथा अन्य बाह्य द्रव्यों से रहित होंगे।		

*मिगार फिलर तम्बाकू के पत्ते (वायु संसाधित) में निकोटिआना टोबेकम की कोई भी देशी किस्म आती है किन्तु किसी भी नमूने अथवा आधान पत्र में के किस्म के समान लक्षण वाला तम्बाकू होगा;

†श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध में बाव की निम्न श्रेणी की विशिष्टियों के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

‡दाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति, प्रक्रियागत तथा स्पंज करने में होने वाली टूट-फूट और काले निशान आते हैं।
स्तम्भ 4 में दिये गये अनुपात के आंकड़ों किमी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करते हैं।

अनुसूची XX

(सामान्यतः आन्ध्र प्रदेश के पूर्वी एवं पश्चिमी गोदावरी में उपजाया जाने वाला) अविनिर्मित वायु संसाधित मिगार का तम्बाकू *फिलर (निकोटिआना टोबेकम) किस्म III का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग †	बनावट	दाग %‡	आकार, रूप, पत्ता, मुक्काम ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
सी० ई० एफ०-i	भूरा हल्का गहरा	मध्यम से मोटा	25% से अधिक नहीं होगा	15 से० मी० से कम लम्बाई नहीं होगी, धूल तथा अन्य बाह्य द्रव्य से रहित होगा, हल्का से भारी पत्ता, अच्छी से साधारण मुक्काम तथा ज्वलन- शीलता	तम्बाकू के पत्ते — 1. उचित रूप से रूप, रंग प्रकार या किस्म के लक्षण में समान होंगे; 2. छूने पर परिपक्व ठोस लगेंगे।	
सी० ई० एफ०-ii	—यथोक्त—	—यथोक्त—	65% से अधिक नहीं होगा	मध्यम से भारी पत्ता, साधारण से औसत मुक्काम तथा साधारण ज्वलनशीलता, 12 से० मी० से कम लम्बाई नहीं होगी, धूल तथा अन्य बाह्य द्रव्य से रहित।	3. अच्छी तरह से वायु संसाधित और सुखाये गये होंगे तथा उचित नमी होगी; 4. कीटाणुओं द्वारा की गई क्षति, मशीनी आघात तथा नमी अथवा फफूँद से होने वाले धब्बों से सम्बन्धित रूप से मुक्त होंगे।	

*मिगार फिलर तम्बाकू के पत्ते (वायु संसाधित) में निकोटिआना टोबेकम की कोई भी देशी किस्म आती है किन्तु किसी भी नमूने अथवा आधान पत्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

†श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध में बाव की निम्न श्रेणी की विशिष्टियों के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

‡दाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति, प्रक्रियागत तथा स्पंज करने में होने वाली टूट-फूट और काले निशान आते हैं।
स्तम्भ 4 में दिये गये अनुपात के आंकड़ों किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करते हैं।

अनुसूची—XXI

(सामान्यतः आन्ध्र प्रदेश राज्य में उपजाया जाने वाला) अविनिर्मित बायु समाधित सिगार का तम्बाकू (मितका)* फिगर (निर्कोटिआना टोबेकम) किस्म-4 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग**	बनावट	दाग†	आकार, रूप, पत्ता, सुवास ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
टी०ओ०एफ०-1	हल्का गहरा गाढ़ा गहरा	मध्यम से मोटे	25% से अधिक नहीं होगा	15 से 0 मी० से कम लम्बाई नहीं होगी, धूल तथा अन्य बाह्य द्रव्य से रहित, हल्का से भारी पत्ता, अच्छी से गाढ़ा गुवाग तथा ज्वलनशीलता	तम्बाकू के पत्ते — 1 उचित रूप से रूप, रंग, प्रकार या किस्म के लक्षण में समान होंगे। 2 छूने पर परिपक्व ठोस लगेगा।	
टी०ओ० एफ०-11	—यथोक्त—	—यथोक्त—	65% से अधिक नहीं होगा।	मध्यम से भारी पत्ता, साधा- रण से औसत सुवास तथा साधारण ज्वलन- शीलता, 12 से 0 मी० से कम लम्बाई नहीं होगी, धूल तथा अन्य बाह्य द्रव्य से रहित।	3 अच्छी तरह से बायु समाधित और सुखाये गये होंगे तथा उचित नमी होगी। 4 कीटाणुओं द्वारा की गई क्षति, मशीनी आघात तथा नमी अथवा फफूंद से होने वाले धब्बों से समुचित रूप से मुक्त होंगे।	

* सिगार फिगर तम्बाकू के पत्ते (बायु समाधित) में निर्कोटिआना टोबेकम को कोई भी देशी किस्म आनी है किन्तु किसी भी नमून अथवा आधान पात्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध में वाद को निम्न श्रेणी की विशिष्टियों के अनुरूप तम्बाकू पत्तों को 1/16 की छूट रहेगी।

†दाग में हरे धब्बे और निशान और कीट तथा रोंगों से होने वाली क्षति, प्रसिमान तथा स्पष्ट करने में हात वाली टूट-फूट और काले निशान आते हैं। स्तम्भ 4 में दिये गये अनुपात के आकड़े किसी भी नमून के प्रभावित पत्तों के सम्पूर्ण क्षेत्र का निर्दिष्ट करते हैं।

अनुसूची—XXII

(सामान्यतः तमिलनाडु राज्य में उपजाया जाने वाला) अविनिर्मित, बायु समाधित सिगार का तम्बाकू (दक्षिणी)* फिगर (निर्कोटिआना टोबेकम) किस्म-5 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग**	बनावट	दाग†	आकार, रूप, पत्ता, सुवास ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एम०टी०एफ०-I	हल्का भूरा गहरा/ गाढ़ा गहरा	मध्यम से मोटा	25% से अधिक नहीं होगा	15 से 0 मी० से कम लम्बाई नहीं होगी, धूल तथा अन्य बाह्य द्रव्य से रहित, हल्का से भारी पत्ता अच्छी से साधारण सुवास तथा ज्वलनशीलता।	तम्बाकू के पत्ते — 1 उचित रूप से रूप रंग प्रकार या किस्म के लक्षण में समान होंगे, 2 छूने पर परिपक्व ठोस लगेगा।	
एम०टी०एफ०-II	—यथोक्त—	—यथोक्त—	65% से अधिक नहीं होगा।	मध्यम से भारी पत्ता, साधा- रण से औसत सुवास तथा साधारण ज्वलन- शीलता। 12 से 0 मी० से कम लम्बाई नहीं होगी। धूल तथा अन्य बाह्य द्रव्य से रहित।	3 अच्छी तरह से बायु समाधित और सुखाये गये होंगे तथा उचित नमी होगी। 4 कीटाणुओं द्वारा की गई क्षति, मशीनी आघात तथा नमी अथवा फफूंद से होने वाले धब्बों से समुचित रूप से मुक्त होंगे।	

*सिगार फिगर तम्बाकू के पत्ते (बायु समाधित) में निर्कोटिआना टोबेकम को कोई भी देशी किस्म आनी है किन्तु किसी भी नमून अथवा आधान पात्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध में वाद को निम्न श्रेणी की विशिष्टियों के अनुरूप तम्बाकू पत्तों को 1/16 की छूट रहेगी।

†दाग में हरे धब्बे और निशान और कीट तथा रोंगों से होने वाली क्षति, प्रसिमान तथा स्पष्ट करने में हात वाली टूट-फूट, और काले निशान आते हैं। स्तम्भ 4 में दिये गये अनुपात के आकड़े किसी भी नमून के प्रभावित पत्तों के सम्पूर्ण क्षेत्र का निर्दिष्ट करते हैं।

अनुसूची—XXIII

(सामान्य मैदानी क्षेत्र में उपजाया जाने वाला) प्रतिनिमित्त बायु समायोजन मिश्रण का तम्बाकू (दक्षिणी)* पिलर (निकाटिप्राना टोबैकम) किस्म 6 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग	बनावट	दाग	आकार, रूप, पत्ता, सुवास ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एम०बी०बी० 1	गहरी भूरा/हल्के से भूरा गहरा	मध्यम से श्रौमल	25% से अधिक नहीं होगा	15 से 30 मी० से कम लम्बाई नहीं होगी, धूल या अन्य बाह्य द्रव्य से रहित होगा। हल्के से भारी पत्ता, अच्छी से साधारण सुवास तथा ज्वलनशीलता	तम्बाकू के पत्ते — 1 उचित रूप से रूप रंग प्रकार/किस्म के लक्षण से समान होंगे, 2 छूत पर परिपक्व ठोस लगेंगे। 3 अच्छी तरह से बायु समायोजन और सुखाये गये होंगे तथा उचित नमी होगी, 4 कीटाणुनाशकों द्वारा की गई क्षति, मशीनी आघात तथा नमी अथवा फफूंद से होने वाले धब्बों से समुचित रूप से मुक्त होंगे।	
एम०बी०बी०-11	—यथाक्त—	—यथाक्त—	65% से अधिक नहीं होगा।	12 से 30 मी० से कम लम्बाई नहीं होगी, धूल अन्य बाह्य द्रव्य से रहित होंगे, माध्यम से भारी पत्ता, साधारण से श्रौमल सुवास तथा साधारण ज्वलनशीलता।		

*मिश्रण पिलर तम्बाकू के पत्ते (बायु समायोजन) में निकाटिप्राना टोबैकम का कोई भी देशी किस्म आती है किन्तु किसी भी नमूने अथवा आधान पत्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

†श्रेणीकरण में आन्तरिक गतिविधि के लिये तम्बाकू पत्ता के रंग एवं बनावट के सम्बन्ध में बाव की निम्न श्रेणी की विशिष्टता के अनुरूप तम्बाकू पत्ता को 1/16 की छूट रहेगी,

‡दाग में हरे धब्बे, भरे निशान और कीट तथा रागों से होने वाली क्षति, प्रतियोगिता तथा स्पज करने से होने वाली टूट-फूट और काले निशान आते हैं। स्तम्भ 4 में दिये गये अनुमान के अतिरिक्त किसी भी नमूने के प्रभावित पत्ता के सम्पूर्ण क्षेत्र की निदिष्ट करने हैं।

अनुसूची—XXIV

(सामान्य पश्चिमी बंगाल में उपजाया जाने वाला) प्रतिनिमित्त, बायु समायोजन मिश्रण का तम्बाकू (उत्तरी)* बिन्दर पत्ता (निकाटिप्राना टोबैकम) किस्म 7 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग	बनावट	दाग	आकार, रूप, पत्ता, सुवास ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एम०बी०बी० 1	मध्यम वैदूरी रंग	उत्तम से मध्यम/साधारण नवीनी	10% से अधिक नहीं होगा	30 से 60 मी० से अधिक लम्बाई पत्ता से मध्यम पत्ता, तैलयुक्त दबी हुई शिराये, अच्छी सुवास तथा ज्वलनशीलता	तम्बाकू के पत्ते — 1 उचित रूप से रूप, रंग प्रकार/किस्म के लक्षण से समान होंगे, 2 छूत पर परिपक्व ठोस लगेंगे, 3 अच्छी तरह से बायु समायोजन और सुखाये गये होंगे तथा आवश्यक नहीं होगी,	
एम०बी०बी० 2	—यथाक्त—	—यथाक्त—	11 से 25% के बीच	20 से 60 मी० से 30 से 60 मी० तक लम्बाई, मध्यम तैलयुक्त मुख्य शिराया दबी हुई, अच्छी सुवास तथा ज्वलनशीलता		
एम०बी०बी० 3	मध्यम से गहरा वैदूरी रंग	मध्यम से अधिक लचीली	26 से 50% के बीच होगा	15 से 60 मी० से 20 से 60 मी० तक लम्बाई, मध्यम पत्ता, कम तैलयुक्त मुख्य शिराया से दबी हुई, साधारण सुवास तथा सामूही ज्वलनशीलता	4 कीटाणुनाशकों द्वारा की गई क्षति, मशीनी आघात तथा नमी अथवा फफूंद से होने वाले धब्बों से समुचित रूप से मुक्त होंगे, 5 समुचित रूप से छिटा से रहित होंगे।	

*मिश्रण बिन्दर तम्बाकू के पत्ते (बायु समायोजन) में निकाटिप्राना टोबैकम का कोई भी देशी किस्म आती है किन्तु किसी भी नमूने अथवा आधान पत्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

†श्रेणीकरण में आन्तरिक गतिविधि के लिये तम्बाकू पत्ता के रंग एवं बनावट के सम्बन्ध में बाव की निम्न श्रेणी की विशिष्टता के अनुरूप तम्बाकू पत्ता को 1/16 की छूट रहेगी।

‡दाग में हरे धब्बे, भरे निशान और कीट तथा रागों से होने वाली क्षति, प्रतियोगिता तथा स्पज करने से होने वाली टूट-फूट के और काले निशान आते हैं। स्तम्भ 4 में दिये गये अनुमान के अतिरिक्त किसी भी नमूने के प्रभावित पत्ता के सम्पूर्ण क्षेत्र की निदिष्ट करने हैं।

अनुसूची—XXV

(सामान्यतः पश्चिमी बंगाल जिला तथा उत्तर भारतीय राज्यों में उजाया जाने वाला) अतिनिम्न वायु समाश्रित विगार का तम्बाकू* बिन्दर नीफ (निकाटिआना टावेरुम) किस्म-8 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग**	बनावट	दाग†	आकार, रूप, पत्ता, सुवास ज्वलनशीलता	सामान्य लक्षण	टिप्पणी
1	2	3	4	5	6	7
एन०बी०-1	मध्यम बसामी भूरा	उत्तम से मध्यम साधारण लचीला	10% से अधिक नहीं होता	30 से० मी० से अधिक लम्बाई, पत्ती से मध्यम पत्ता, तैलयुक्त, दबी हुई शिराएँ अच्छी सुवास तथा ज्वलनशीलता।	तम्बाकू के पत्ते — 1 उचित रूप से आकार रंग प्रकार/किस्म के लक्षण से समान होंगे। 2 छूने पर परिपक्व ठोस लगेंगे। 3 अच्छी तरह से वायु समाश्रित और सुखाये गये होंगे तथा आवश्यक नमी होगी।	
एन०बी०-2	—यथोक्त—	—यथोक्त—	11 से 25% के बीच होगा	20 से 30 से० मी० के बीच लम्बाई, मध्यम पत्ती तैलयुक्त मुख्य शिराओं से दबा हुआ, अच्छी सुवास तथा ज्वलनशीलता	1 कीटाणुओं द्वारा की गई क्षति, मशीनी आघात तथा नमी अथवा फफूट से होने वाले घावा से समुचित रूप से मुक्त होंगे। 5 समुचित रूप से छिद्रों से रहित होंगे।	
एन०बी०-3	मध्यम से गहरा बादासी भूरा	मध्यम शर्त लचीला	26 से 50% के बीच होगा	15 से० मी० से 20 से० मी० के बीच लम्बाई, कम तैलयुक्त मुख्य शिराओं से दबा हुआ, साधारण सुवास तथा सामूली ज्वलनशीलता		

*विगार बिन्दर तम्बाकू के पत्ते (वायु समाश्रित) में निकोटिआना टावेरुम की कोई भी देशी किस्म आनी है किन्तु किसी भी नमून अथवा आघात पात्र में के विस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध से वायु को निम्न श्रेणी की विनिर्णयों के अनुरूप तम्बाकू पत्ता को 1/16 की छूट रहेगी।

†दाग में हरे धब्बे, भूरे निशान और फाट तथा रंगों में होने वाली क्षति, प्रक्रियागत तथा स्वतः करने में होने वाली टूट-फट और बाये निशान आते हैं। स्तम्भ 4 में दिये गये अनुपात के आकड़े किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करने हैं।

अनुसूची—XXVI

(सामान्यतः आन्ध्र प्रदेश के पूर्वी और पश्चिमी गोदावरी जिला में उजाया जाने वाला) अतिनिम्न वायु समाश्रित, विगार का तम्बाकू* बिन्दर नीफ (निकाटिआना टावेरुम) किस्म 9 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग**	बनावट	दाग†	आकार, रूप, पत्ता, सुवास ज्वलनशीलता	सामान्य लक्षण	टिप्पणी
1	2	3	4	5	6	7
सी०ई०बी०-1	हल्का भूरा मध्यम महागोनी भूरा	उत्तम से मध्यम लचीला	10 प्रतिशत से अधिक नहीं होगा	30 से० मी० से अधिक लम्बाई पत्ती से मध्यम पत्ता तैलयुक्त दबी हुई हल्की मोटी शिराएँ मधुर सुवास तथा समान ज्वलनशीलता	तम्बाकू के पत्ते — 1 उचित रूप से रूप, रंग, प्रकार/किस्म के लक्षण से समान होंगे। 2 छूने पर परिपक्व ठोस लगेंगे।	
सी०ई०बी०-2	मध्यम भूरा मध्यम महागोनी भूरा	मध्यम, साधारण लचीला	11 से 25 प्रतिशत के बीच होगा	20 से० मी० से 30 से० मी० के बीच लम्बाई, तैलयुक्त, कुछ मोटी शिराएँ दबी हुई मधुर सुवास समान ज्वलनशीलता	3 अच्छी तरह से वायु समाश्रित और सुखाये गये होंगे तथा आवश्यक नमी होगी। 4 कीटाणुओं द्वारा की गई क्षति, मशीनी आघात तथा नमी अथवा फफूट से होने वाले धब्बों से समुचित रूप से मुक्त होंगे। 5 समुचित रूप से छिद्रों से रहित होंगे।	

1	2	3	4	5	6	7
सी० ई० बी०-III	गहरा भूरा गाढ़ा महागोनी भूरा	मध्यम से अर्ध- लचीला	26 से 50 प्रतिशत के बीच होगा	15 से 20 सें० मी० के बीच लम्बाई, मध्यम पत्ता, कम तैलयुक्त, कुछ मुख्य शिराण, दबी हुई, साधारण सुवास और साधारण ज्वलनशीलता		

*सिंगर बिन्डर तम्बाकू के पत्ते (वायु संसाधित) में निकोटिआना टोबैकम की कोई भी देशी किस्म आती है किन्तु किसी भी तम्बूने अथवा आधान पात्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं वनावट के सम्बन्ध में बाद की निम्न श्रेणी की विशेषितियों के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

†वाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति, प्रक्रियागत तथा स्पंज करने में होने वाली टूट-फूट, और काले निशान आते हैं। सम्म 4 में दिये गये अनुपात के आकड़े किसी भी तम्बूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करते हैं।

अनुसूची XXVII

(सामान्यतः आन्ध्र प्रदेश राज्य में उपजाया जाने वाला) अविनिर्मित, वायु संसाधित सिंगर का तम्बाकू* बिन्डर लोक (निकोटिआना टोबैकम) किस्म 10 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग**	व नावट	दाग†	आकार, रूप, पत्ता, सुवास ज्वलनशीलता	सामान्य लक्षण	टिप्पणी
1	2	3	4	5	6	7
सी० बी०- I	हल्का भूरा	उत्तम से मध्यम लचीला	10% से अधिक नहीं होगा	30 सें० मी० से अधिक लम्बाई तथा पत्ता में मध्यम पत्ता, तैलयुक्त दबी हुई शिराणें मधुर समान सुवास तथा समान ज्वलनशीलता	तम्बाकू के पत्ते— 1. उचित रूप से रूप, रंग, प्रकार/किस्म के लक्षण में होंगे। 2. छूने पर परिपक्व टोम लगेँगे।	
सी० बी०- II	मध्यम भूरा मध्यम महागोनी भूरा	मध्यम, साधारण लचीला	11 से 25 प्रतिशत के बीच होगा	20 से 30 सें० मी० के बीच लम्बाई, मध्यम पत्ता, तैलयुक्त, कुछ मोटी शिराणें दबी हुई मधुर सुवास समान ज्वलनशीलता।	3. अच्छी तरह से वायु संसाधित और सुखाये गये होंगे तथा आसपास नमी होगी; 4. कीटाणुओं द्वारा की गई क्षति, मशीनगत आघात तथा नमी अथवा फफूँद से होने वाले धब्बों में समुचित रूप से मुक्त होंगे। 5. समुचित रूप से छिद्रों से रहित होंगे।	
सी० बी०-III	गहरा भूरा/ गाढ़ा महागोनी भूरा	मध्यम अर्ध- लचीला	26 से 50 प्रति- शत के बीच होगा	15 से 20 सें० मी० के बीच लम्बाई, मध्यम पत्ता, कम तैलयुक्त, मध्यम पत्ता, कुछ मुख्य शिराणें, दबी हुई, साधारण सुवास, और साधारण ज्वलनशीलता।		

*सिंगर बिन्डर तम्बाकू के पत्ते (वायु संसाधित) में निकोटिआना टोबैकम की कोई भी देशी किस्म आती है किन्तु किसी भी तम्बूने अथवा आधान पात्र में, के किस्म के लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं वनावट के सम्बन्ध में बाद की निम्न श्रेणी की विशेषितियों के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

†वाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति, प्रक्रियागत तथा स्पंज करने में होने वाली टूट-फूट और काले निशान आते हैं। सम्म 4 में दिये गये अनुपात के आकड़े किसी भी तम्बूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करते हैं।

अनुसूची XXVIII

(सामान्य तामिलनाडु राज्य में उजाया जाने वाला) अतिनिर्मित वायु समाधित सिगार का तम्बाकू (दक्षिण)* बिन्डर लीफ (निकोटिआना टोबेकम)

किस्म 11 के श्रेणी अभिधान तथा ब्यासिटी की परिभाषा

श्रेणी अभिधान	रंग**	बनावट	दाग †	आकार रूप पत्ता, मुवास ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एस० टी० बी० I	हल्का भूरा हल्का महागोनी भूरा	उत्तम से मध्यम लचीला	10 प्रतिशत में अधिक नहीं होगा	30 से० सी० में अधिक लम्बाई, पत्ता से मध्यम पत्ता, तैलयुक्त दबी हुई कम मोटी शिराएँ, मधुर मुवास तथा समान ज्वलनशीलता।	तम्बाकू के पत्ते— 1 उचित रूप से रूप रंग प्रकार/किस्म के लक्षण में समान होंगे।	
एस० टी० बी० II	मध्यम भूरा मध्यम महागोनी भूरा	मध्यम साधारण लचीला	1 से 25 प्रतिशत के बीच होगा	20 से० सी० से 30 से० सी० के बीच लम्बाई मध्यम पत्ता कम तैलयुक्त कुछ मुख्य शिराएँ दबी हुई। मधुर मुवास तथा समान ज्वलनशीलता।	2 छूने पर परिपक्व ठोस लगेंगे। 3 अच्छी तरह से वायु समाधित और सुखाये गये होंगे तथा आवश्यक नमी होगी।	
एस० टी० बी० III	गहरा भूरा गहरा महागोनी भूरा	मध्यम अर्ध लचीला	26 से 50 प्रतिशत के बीच होगा	15 से० सी० से 20 से० सी० के बीच लम्बाई मध्यम पत्ता कम तैलयुक्त कुछ मुख्य शिराएँ दबी हुई साधारण मुवास साधारण ज्वलनशीलता।	4 कीटाणुओं द्वारा की गई क्षति मशीनीगत आधार तथा नमी अथवा फफूंद से होने वाले धब्बों में समुचित रूप से मुक्त होंगे। 5 समुचित रूप से छिद्रों से रहित होंगे।	

* सिगार बिन्डर तम्बाकू के पत्ते (वायु समाधित) में निकोटिआना टोबेकम की कोई भी देशी किस्म आनी है किन्तु किसी भी नमूने अथवा आधार पत्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

** श्रेणीकरण में आकस्मिक गतियों के लिये तम्बाकू पत्तों ने रंग एवं बनावट के सम्बन्ध में वाद की निम्न श्रेणी की विशिष्टियों के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

† दाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति प्रक्रियागत तथा स्पष्ट करने में जाने वाली टूट-फूट और काले निशान आते हैं। स्तम्भ 4 में दिये गये अनुगत के आकर के किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निक्षिप्त करने हैं।

अनुसूची XXIX

(सामान्य मैसूर राज्य में उजाया जाने वाला) अतिनिर्मित वायु समाधित सिगार का तम्बाकू (दक्षिणी)* बिन्डर लीफ (निकोटिआना टोबेकम)

किस्म 12 की श्रेणी अभिधान तथा ब्यासिटी की परिभाषा

श्रेणी अभिधान	रंग**	बनावट	दाग †	आकार रूप पत्ते मुवास ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एस० एम० बी० I	हल्का भूरा हल्का गहरा भूरा/महागोनी भूरा/मध्यम जैतूनी हरा	उत्तम से मध्यम लचीली	10 प्रतिशत से अधिक नहीं होगा	30 से० सी० से अधिक लम्बाई पत्ते से मध्यम पत्ते तैलयुक्त दबी हुई शिराएँ मधुर मुवास तथा समान ज्वलनशीलता।	तम्बाकू के पत्ते— 1 उचित रूप से रूप रंग प्रकार/किस्म के लक्षण में समान होंगे। 2 छूने पर परिपक्व ठोस लगेंगे।	
एस० एम० बी० II	मध्यम भूरा/मध्यम महागोनी भूरा/गहरा जैतूनी हरा	मध्यम साधारण लचीला	11 से 25 प्रतिशत के बीच होगा	20 से० सी० से 30 से० सी० के बीच लम्बाई, मध्यम पत्ते तैलयुक्त, कुछ मुख्य शिराएँ दबी हुई मधुर मुवास तथा साधारण ज्वलनशीलता।	3 अच्छी तरह से वायु समाधित और सुखाये गये होंगे तथा उचित नमी होगी। 4 कीटाणुओं द्वारा की गई क्षति मशीनीगत आधार तथा नमी अथवा फफूंद से होने वाले धब्बों में समुचित रूप से मुक्त होंगे।	

1	2	3	4	5	6	7
एन०बी० III	गहूरा भूरा गाढा महागोनी भूरा/ गाढा जैतूनी हरा	मध्यम अधलनीला	26 से 50 प्रति- शत के बीच होगा	15 से 20 सेमी० के बीच लम्बाई मध्यम पत्ता कम तैलयुक्त कुछ मुड़्य शिराओं दबी हुई साधारण सुवास तथा साधारण ज्वलनशीलता।	5 समुचित रूप से छिद्रों से रहित होंगे।	

*निगार बिन्दर तम्बाकू के पत्ते (वायु समाधित) में निकोटिआना टोबेकम की कोई भी देशी किस्म आनी है किन्तु किसी भी नमूने अथवा आधार पत्र में किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्ता के रंग एवं बनावट के सम्बन्ध में वाद की निम्नश्रेणी की विशिष्टियाँ के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

†दाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति प्रतियोगिता तथा स्पष्ट करने में होने वाली टूट-फूट और काले निशान आते हैं। स्तम्भ 4 में दिये गये अनुपात के आंकड़े किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करते हैं।

अनुसूची XXX

(सामान्य पश्चिमी बंगाल राज्य उपजाया जाने वाला) अविनिमित्त, वायु समाधित निगार का तम्बाकू (उत्तरी)* रैपर लीफ (निकोटिआना टोबेकम) किस्म 13 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा।

श्रेणी अभिधान	रंग**	बनावट	दाग†	आकार, रूप, पत्ता सुवास ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एन० बी० इस्ट्यू I	हरा जैतूनी हरा	उत्तम रेशम जैसा लचीला	5 प्रतिशत से अधिक नहीं होगा	40 से 50 सेमी० तथा उससे अधिक, लम्बाई पत्ता पत्ता, बहुत तैलयुक्त, बहुत फैला, समान कुछ पतली शिराओं के साथ दबा हुआ, अच्छी सुवास तथा ज्वलनशीलता।	तम्बाकू के पत्ते— 1 उचित रूप से रूप, रंग प्रकार किस्म के लक्षण में समान होंगे। 2 छूटने पर परस्पर टोम लगेगे। 3 अच्छी तरह से वायु संसा- धित और सुखाये गये होंगे तथा उचित नमी होंगी। 4 कीटाणुनाशकों द्वारा की गई क्षति मणीतगत आधार तथा नमी अथवा फफूँव से होने वाले धब्बों में समुचित रूप से मुक्त होंगे। 5 समुचित रूप से छिद्रों से रहित होंगे।	
एन० बी० इस्ट्यू II	यथोक्त	यथोक्त	6 से 10 प्रतिशत के बीच होगा	30 से 40 सेमी० से 40 सेमी० के बीच लम्बाई, पत्ता पत्ता तैलयुक्त, साधारण फैला हुआ समान, कुछ पतली शिराओं के साथ दबा हुआ, अच्छी सुवास तथा ज्वलनशीलता।		
एन० बी० इस्ट्यू III	मध्यम जैतूनी हरा	उत्तम से मध्यम साधारण रेशमी अर्ध लचीला	11 से 15 प्रति- शत के बीच होगा	20 से 30 सेमी० से 30 सेमी० के बीच लम्बाई मध्यम पत्ता कम तैलयुक्त फैला हुआ समान कुछ पतली शिराओं के साथ दबा हुआ साधारण सुवास तथा ज्वलनशीलता।		
एन० बी० इस्ट्यू IV	यथोक्त	यथोक्त	16 से 20 प्रति- शत के बीच होगा	10 से 20 सेमी० से 20 सेमी० के बीच लम्बाई मध्यम पत्ता कम तैलयुक्त फैला हुआ समान कुछ शिराओं के साथ दबा हुआ साधा- रण सुवास तथा ज्वलन- शीलता।		

*निगार रैपर लीफ (वायु समाधित) में निकोटिआना टोबेकम की कोई भी देशी किस्म आनी है किन्तु किसी भी नमूने अथवा आधार पत्र में किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्ता के रंग एवं बनावट के सम्बन्ध में वाद की निम्नश्रेणी की विशिष्टियाँ के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

†दाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति प्रतियोगिता तथा स्पष्ट करने में होने वाली टूट-फूट और काले निशान आते हैं। स्तम्भ 4 में दिये गये अनुपात के आंकड़े किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करते हैं।

अनुसूची XXXI

(सामान्यतः पश्चिमी बंगाल, बिहार तथा उत्तर भारतीय राज्यों में उपजाया जाने वाला) अश्विनिमित, वायु संसाधित सिगार का तम्बाकू (उत्तरी) —

*रैपर लीफ (निकोटिआना टोबेकम) किस्म 14 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग**	बनावट	बाग†	आकार, रूप, पत्ता सुवास, ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एन० डब्ल्यू० i	हल्का भूरा	उत्तम, रेणमी लचीला	5 प्रतिशत से अधिक नहीं होगा	40 से०मी० तथा उससे अधिक लम्बाई, पतला पत्ता, बहुत तैलयुक्त बहुत फैला, समान, कुछ पतली शिराओं पर दबा हुआ अच्छी सुवास तथा ज्वलनशीलता।	तम्बाकू के पत्ते— 1 उच्च रूप से रूप, रंग, प्रकार/किस्म के लक्षण से समान होंगे। 2 छूने पर परिपक्व टोम लगेंगे। 3 अच्छी तरह से बांधे	
एन० डब्ल्यू० ii	—यथोक्त—	—यथोक्त—	6 से 10 प्रतिशत के बीच होगा	30 से०मी० से 40 से०मी० के बीच लम्बाई, पतला, पत्ता तैलयुक्त साधारण फैला, समान, कुछ पतली शिराओं पर दबा हुआ अच्छी सुवास तथा ज्वलनशीलता।	समाधित और सुखाये गये होंगे तथा उचित नमी होंगी। 4 कीटाणुओं द्वारा की गई क्षति मशीनगत प्राध तथा नमी अथवा पकूब से होने वाले धब्बों से समुचित रूप से मुक्त होंगे। 5 समुचित रूप से छिद्रों से रहित होंगे।	
एन० डब्ल्यू० i	गहयम भूरा	उत्तम से मध्यम, साधारण रेणमी अर्ध लचीला	11 से 15 प्रतिशत के बीच होगा	20 से 30 से०मी० के बीच लम्बाई, मध्यम पत्ता, कम तैलयुक्त, फैला हुआ, समान, कुछ पतली शिराओं पर दबा हुआ, साधारण सुवास तथा ज्वलनशीलता।		
एन० डब्ल्यू० iv	—यथोक्त—	—यथोक्त—	16 से 20 प्रतिशत के बीच होगा	10 से 20 से०मी० के बीच लम्बाई, मध्यम पत्ता, कम तैलयुक्त, फैला हुआ, समान, कुछ पतली शिराओं पर दबा हुआ, साधारण सुवास तथा ज्वलनशीलता।		

*सिगार रैपर लीफ (वायु संसाधित) में निकोटिआना टोबेकम की सभी देशी किस्म आती हैं किन्तु किसी भी नमूने अथवा प्राधारी पात्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियाँ एवं लिखे तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध में वाद की निम्न श्रेणी की विशेषताओं के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

†दाय में हरे एवं भूरे निशान और बोट तथा गेंगों से हानि वाली क्षति, प्रक्रियागत तथा स्पज करने के होने वाली दृष्ट-पट और काले निशान आते हैं। स्पज 4 से थिये गये अनुपात के आकार के किसी भी नमूने के असाधित पत्तों के सम्पूर्ण धल के निर्दिष्ट परते हैं।

अनुसूची XXXII

(सामान्यतः भ्रांश प्रदेश के पूर्वी तथा पश्चिमी गोदावरी जिले में उपजाया जाने वाला) अविनिर्मित, वायु संसाधित मिगार का तम्बाकू* रैपर लीफ (निकोटिआना टोबेकम) किस्म 15 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा।

श्रेणी अभिधान	रंग**	बनावट	घाग†	साइज, आकार, पत्ती, मुबाम ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
सी०ई०डब्ल्यू० 1	हल्का बावामी भूरा	उत्तम से मध्यम साधारण रेशमी लचीला	5 प्रतिशत से अधिक नहीं होगा	40 सें०मी० तथा अधिक लम्बाई, मध्यम पत्ता, तैलयुक्त, फैला हुआ समान, बहुत, चिकना, दबा हुआ तथा कुछ पतली शिराएँ अच्छी मुबाम तथा ज्वलनशीलता।	तम्बाकू के पत्ते— 1. उचित रूप से रूप, रंग, प्रकार/किस्म के लक्षण में समान होंगे। 2. छूने पर परिपक्व ठोस लगेंगे। 3. अच्छी तरह से वायु संसाधित और सुखाये गये होंगे तथा उचित नमी होगी। 4. कीटाणुओं द्वारा की गई क्षति, मशीनगत आधार तथा नमी अथवा फफूँद से होने वाले धब्बों से समुचित रूप से मुक्त होंगे। 5. समुचित रूप से छिन्न से रहित होंगे।	
सी ई डब्ल्यू 2	—यथोक्त—	—यथोक्त—	6 से 10 प्रतिशत के बीच होगा	30 सें०मी० से 40 सें०मी० के बीच लम्बाई, मध्यम, पत्ती, तैलयुक्त, फैला हुआ, समान, चिकना कुछ पतली शिराओं पर दबा हुआ, अच्छी मुबाम तथा ज्वलनशीलता।		
सी०ई०डब्ल्यू० 3	गहरा बावामी भूरे से भूरा	मध्यम, साधारण लचीला	11 से 15 प्रति- शत के बीच होगा	20 सें०मी० से 30 सें०मी० के बीच लम्बाई, मध्यम से भारी पत्ता, कम तैल- युक्त, फैला हुआ, समान, कुछ शिराओं के साथ दबा हुआ, साधारण मुबाम तथा ज्वलनशीलता।		
सी०ई०डब्ल्यू० 4	—यथोक्त—	—यथोक्त—	16 से 20 प्रति- शत के बीच होगा	10 सें०मी० से 20 सें०मी० के बीच लम्बाई, मध्यम पत्ता, कम तैलयुक्त फैला हुआ, समान, कुछ शिराओं के साथ दबा हुआ, साधारण मुबाम तथा ज्वलनशीलता।		

*मिगार रैपर लीफ (वायु संसाधित) में निकोटिआना टोबेकम की सभी देशी किस्म आती हैं किन्तु किसी भी नमूने अथवा आधान पत्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध में बाद की निम्न श्रेणी की विशिष्टियों के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

†वाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति, प्रक्रियागत तथा स्पंज करने में होने वाली टूट-फूट, और काले निशान आते हैं। स्तम्भ 4 में दिये गये अनुपात के आंकड़े किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्रों को निविष्ट करते हैं।

अनुसूची XXXIII

(सामान्यतः भ्रांघ्र प्रदेश में उपजाया जाने वाला) अतिनिमित्त वायु संसाधित मिगार का तम्बाकू (मिरकाम) * रैपर लीफ (निकोटिआना टोबेकम)
किस्म 16 श्रेणी अभिधान तथा क्वालिटी की परिभाषा

श्रेणी अभिधान	रंग **	बनावट	दाग †	आकार, रूप, पत्ता, मुद्दान, उत्पलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
सी०प्रो०डब्ल्यू० i	मध्यम बादामी भूरा।	उत्तम से मध्यम साधारण रेशमी लचीला।	5 प्रतिशत से अधिक नहीं होगा।	40 सें० मी० तथा अधिक लम्बाई, पतला पत्ता, तैलयुक्त, फैला हुआ, समान, कुछ पतली शिराओं के साथ दबा हुआ, अच्छी मुद्दास साधारण उत्पलनशीलता।	तम्बाकू के पत्ते— 1. उचित रूप से रूप, रंग, प्रकार, किस्म के लक्षण में समान होंगे। 2. छूने पर परिष्कृत ठोम लगेगे। 3. अच्छी तरह से वायु संसाधित और सुखाये गये होंगे तथा उचित नमी होगी। 4. कीटाणुओं द्वारा की गई अनि मशीनगत आघात तथा नमी अथवा फफूर से होने वाले धब्बों में समुचित रूप से मुक्त होंगे। 5. समुचित रूप से छिन्नों से रहित होंगे।	
सी०प्रो०डब्ल्यू० ii	—यथोक्त—	—यथोक्त—	6 से 10 प्रतिशत के बीच होगा।	30 सें० मी० से 40 सें० मी० के बीच लम्बाई, पतला पत्ता, तैलयुक्त, फैला हुआ, समान कुछ पतली शिराओं के साथ दबा हुआ, अच्छी मुद्दास तथा साधारण उत्पलनशीलता।		
सी०प्रो०डब्ल्यू० iii	गहरा बादामी, भूरा से गाढ़ा भूरा।	मध्यम साधारण लचीला।	11 से 15 प्रति- शत के बीच होगा।	20 सें० मी० से 30 सें० मी० के बीच लम्बाई, मध्यम, पत्ता, कम तैलयुक्त, फैला हुआ, कुछ शिराओं के साथ दबा हुआ, साधारण मुद्दास तथा साधारण उत्पलनशीलता।		
सी०प्रो०डब्ल्यू० iv	—यथोक्त—	—यथोक्त—	16 से 20 प्रति- शत के बीच होगा।	10 सें० मी० से 20 सें० मी० के बीच लम्बाई, मध्यम पत्ता कम तैलयुक्त, फैला हुआ, समान कुछ शिराओं के साथ दबा हुआ, साधा- रण मुद्दास तथा साधारण उत्पलनशीलता।		

*मिगार रैपर लीफ (वायु संसाधित) में निकोटिआना टोबेकम की सभी देशी किस्म आती है किन्तु किसी भी नमूने अथवा आधार पात्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध में बाद की निम्न श्रेणी की विशिष्टियों के अनुरूप तम्बाकू पत्तों की 1/16 को छूट रहेगी।

†दाग में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति, प्रक्रियागत तथा स्पंज करने में होने वाली टूट-फूट, और काने निशान आने हैं। स्तम्भ 4 में दिय गये अनुपात के आंकड़े किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करते हैं।

अनुसूची XXXIV

(सामान्यतः तमिलनाडु राज्य में उपजाया जाने वाला) अविनिर्मित, वायु संसाधित मिगार का तम्बाकू (दोषणी)* रैपर लीफ (निकोटिआना टोबैकम) किस्म 17 का श्रेणी अभिधान तथा ब्यालिटी की परिभाषा

श्रेणी अभिधान	रंग**	बनावट	दाग †	आकार, रूप, पत्ता सुवास, ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एम०टी० डब्ल्यू i	मध्यम जैतूनी हरा/मध्यम बादामी भूरा।	उत्तम से मध्यम, साधारण रेणुमी, लचीली।	5 प्रतिशत से अधिक नहीं होगा।	40 से०मी० तथा उससे अधिक लम्बाई, पतला पत्ता, तैलयुक्त, फैला हुआ, समान, कुछ पतली शिराओं के साथ दबा हुआ, अच्छी सुवास तथा साधारण ज्वलनशीलता।	तम्बाकू के पत्त— 1 उचित रूप से रंग, रंग प्रकार/किस्म के लक्षण से समान होंगे। 2 छूने पर परिपक्व ओस लगेंगे। 3 अच्छी तरह से वायु	
एम०टी० डब्ल्यू ii	—यथोक्त—	—यथोक्त—	6 से 10 प्रतिशत के बीच होगा।	30 से०मी० से 40 से०मी० के बीच लम्बाई, पतला पत्ता, तैलयुक्त, फैला हुआ समान कुछ पतली शिराओं के साथ दबा हुआ। अच्छी सुवास तथा साधारण ज्वलनशीलता।	समाधित और सुखाये गये होंगे तथा उचित नमी होंगी। 4 कीटाणुओं द्वारा की गई क्षति, मशीनगत आधार तथा नमी अथवा फफूँद से होने वाले धब्बों से समुचित रूप से मुक्त होंगे। 5. समुचित रूप से छिद्रों से रहित होंगे।	
एम०टी० डब्ल्यू iii	गहरा जैतूनी हरा/गहरा बादामी भूरे से भूरा।	मध्यम साधारण लचीली।	11 से 15 प्रतिशत के बीच होगा।	20 से०मी० से 30 से०मी० के बीच लम्बाई, मध्यम पत्ता, कम तैलयुक्त, फैला हुआ, कुछ शिराओं के साथ दबा हुआ, साधारण सुवास, साधारण ज्वलनशीलता।		
एम०एम० डब्ल्यू iv	—यथोक्त—	—यथोक्त—	16 से 20 प्रतिशत के बीच होगा।	10 से०मी० से 20 से०मी० के बीच लम्बाई, मध्यम पत्ता, कम तैलयुक्त, फैला हुआ, समान, कुछ शिराओं के साथ दबा हुआ, साधारण सुवास तथा साधारण ज्वलनशीलता।		

* मिगार रैपर लीफ (वायु संसाधित) में निकोटिआना टोबैकम की लम्बी देणी किस्म आती है किन्तु किसी भी नमूने अथवा आधान पत्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

** श्रेणीकरण में आकस्मिक गणितियों के लिये तम्बाकू पत्ता के रंग एवं बनावट के सम्बन्ध में बाहर की निम्न श्रेणी की विशिष्टियों के अनुसूच तम्बाकू पत्तों की 1/16 को छूट रहेगी।

† दाग में हरे प्रबे, निगाल और कीट तथा रोगों से होने वाली क्षति, प्रतियागत तथा स्पज में होने वाली टूट-फट और काले निगाल आते हैं। स्वम्भ 4 में दिये गये अनुपात के आकड़े किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्रों को निर्दिष्ट करने हैं।

अनुसूची XXXV

(महाराष्ट्र, मैसूर राज्य में उड़ाया जाने वाला) अविनिर्मित, वायु संसाधित सिगार का तम्बाकू (दक्षिणी)* रैंपरसीक (निकोटिआना टोबैकम) किस्म 18 का श्रेणी अभिधान तथा क्वालिटी की परिभाषा।

श्रेणी अभिधान	रंग **	बनावट	वायु †	आकार, रूप पत्ता, मुवास, ज्वलनशीलता	साधारण लक्षण	टिप्पणी
1	2	3	4	5	6	7
एम०एम०डब्ल्यू० I	हल्का बावामी भूरा	उत्तम से मध्यम साधारण रेशमी, लचीला	5 प्रतिशत से अधिक नहीं होगा	40 से०मी० तथा अधिक लम्बाई, मध्यम, पत्ता, तैलयुक्त, फैला हुआ, समान, बहुत चिकना, कुछ पतली शिराओं के साथ दबा हुआ, अच्छी सुवास तथा ज्वलनशीलता।	तम्बाकू के पत्ते :— 1. उचित रूप से रूप, रंग प्रकार/किस्म के लक्षण में समान होंगे। 2. छूने पर परिपक्व ठोस लगेंगे। 3. अच्छी तरह से वायु संसाधित और सुखाये गये होंगे तथा उचित नमी होगी। 4. कीटाणुओं द्वारा की गई क्षति, मशीनगत आघात तथा नमी अथवा फफूँव से होने वाले घर्षों से समुचित रूप से मुक्त होंगे। 5. समुचित रूप से छिद्रों से रहित होंगे।	
एम०एम०डब्ल्यू० II	—यथोक्त—	—यथोक्त—	6 से 10 प्रतिशत के बीच होगा	30 से०मी० से 40 से०मी० के बीच लम्बाई, मध्यम पत्ता तैलयुक्त, फैला हुआ समान, चिकना कुछ पतली शिराओं के साथ दबा हुआ, अच्छी सुवास तथा ज्वलनशीलता।		
डब्ल्यू III	गहरा बावामी भूरे से भूरा	मध्यम, साधारण लचीला	11 से 15 प्रतिशत के बीच होगा	20 से०मी० से 30 से०मी० के बीच लम्बाई, मध्यम, से भारी पत्ता, कम तैलयुक्त फैला हुआ, समान, कुछ शिराओं के साथ दबा हुआ, साधारण सुवास तथा ज्वलनशीलता।		
एम०डब्ल्यू० IV	—यथोक्त—	—यथोक्त—	16 से 20 प्रतिशत के बीच होगा	10 से०मी० से 20 से०मी० के बीच लम्बाई, मध्यम पत्ता, कम तैलयुक्त फैला हुआ, समान, कुछ शिराओं के साथ दबा हुआ, साधारण सुवास और ज्वलनशीलता।		

*सिगार रैंपर सीक (वायु संसाधित) में निकोटिआना टोबैकम की सभी श्रेणी किस्म आती हैं किन्तु किसी भी नमूने अथवा आधान पत्र में के किस्म के समान लक्षण वाला तम्बाकू होगा।

**श्रेणीकरण में आकस्मिक गलतियों के लिये तम्बाकू पत्तों के रंग एवं बनावट के सम्बन्ध में बाद की निम्न श्रेणी की विशिष्टियों के अनुरूप तम्बाकू पत्तों की 1/16 की छूट रहेगी।

† वायु में हरे धब्बे, भूरे निशान और कीट तथा रोगों से होने वाली क्षति प्रक्रियागत तथा स्पंज करने में होने वाली टूट-फूट, और काले निशान आते हैं। स्तम्भ 4 में दिये गये अनुपात के आकड़े किसी भी नमूने के प्रभावित पत्तों के सम्पूर्ण क्षेत्र को निर्दिष्ट करते हैं।

[सं 13/6/73-कृषि तथा विपणन]

टी० डी० मास्तीशानी, अवर सचिव

New Delhi, the 20th August, 1973

S.R.O. 934.—The following draft of rules further to amend the Tobacco Grading and Marking Rules, 1937, which the Central Government proposes to make, in exercise of the powers conferred by section 3 of the Agricultural Produce (Grading and Marking) Act, 1937 (1 of 1937), is hereby published, as required by the said section, for the information of all persons likely to be affected thereby and notice is hereby given that the said draft will be taken into consideration after one month from the date of publication of this notification.

Any objection or suggestion which may be received from any person with respect to the said draft before the date specified above will be considered by the Central Government.

DRAFT RULES

1. These rules may be called the Tobacco Grading and Marking (Amendment) Rules, 1973.
2. In the Tobacco Grading and Marking Rules, 1937—
 - (i) in rule 7, relating to special conditions of a Certificate of Authorisation for the figure 'XVII' the figure 'XXXVI' shall substituted;
 - (ii) Schedule XVII shall be renumbered as Schedule XXXVI and before it is so renumbered the following Schedules XVII to XXXV shall be inserted namely :—

SCHEDULE XVII

Grade designation and definition of quality of unmanufactured Dark Western Firecured tobacco grown in Andhra Pradesh

Grade designation	Colour	Texture	Body	Blemish	Size	Aroma
1	2	3	4	5	6	7
DWF	Brown to Dark Brown	Medium to coarse	Light to heavy	Not to exceed 1/4th surface of the leaf	Variable	Distinct smoky aroma

SCHEDULE XVIII

Grade designation and definition of quality of unmanufactured air-cured cigar tobacco (Northern) (Commonly grown in West Bengal State) *Filler (*Nicotiana tabacum*.) Type I

Grade Designation	Colour†	Texture	Blemish‡	Size, shape, body, aroma, burning	General characteristics	Remark
NBF I	Olive Green	Medium to Average	Not to exceed 25%	Should not be less than 15 cm. long. Free from dust or other extraneous matter, light to heavy body, good to fair aroma and burning.	The leaves shall :— 1. be reasonably uniform in shape, colour, characteristic of the variety type ; 2. be mature solid in feel ;	
NBF II	-do-	Average to Coarse	Not to exceed 65%	Medium to heavy body, fair to average aroma and moderate burning, should not be less than 12 cm. long. Free from dust or other extraneous matter.	3. be thoroughly air cured and dried and with a reasonable moisture ; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.	

*Cigar filler leaf (air cured) tobacco may include any of the indigenous varieties of *Nicotiana tabacum* but all the leaves in any sample or container shall have similar varietal characteristics.

†To allow for accidental errors in grading, tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specification in the next lower grade will be allowed.

‡Blemish shall include green patches, brown spots, and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XIX

Grade designation and definition of quality of unmanufactured air cured cigar tobacco (Northern) (Commonly grown in West Bengal, Bihar and Northern Indian States) *Filler (Nicotiana tabacum) type II

Grade Designation	**Colour	Texture	†Blemish	Size, shape, body, aroma burning	General characteristics	Remarks
NF I	Light to Brownish Dark Variable	Medium to Average	Not to exceed 25%	Should not be less than 15 cm. long. Free from dust or other extraneous matter, light to heavy body, fair aroma and burning.	The leaves shall : 1. be reasonably uniform in shape, colour, characteristic of the variety type ; 2. be mature solid in feel ;	
NF II	-do-	Average to coarse	Not to exceed 65%	Medium to heavy body, Fair to Average aroma and moderate burning, should not be less than 12 cm. long. Free from dust or other extraneous matter.	3. be thoroughly air cured and dried and with a reasonable moisture ; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.	

*Cigar filler leaf (aircured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XX

Grade designation and definition of quality of unmanufactured air cured cigar tobacco (Commonly grown in East and West Godavari of Andhra Pradesh State) *Filler (Nicotiana tabacum) Type III

Grade Designation	**Colour	Texture	†Blemish	Size, Shape, body, aroma burning	General characteristics	Remarks
CEF I	Brownish light Dark	Medium to Coarse	Not to exceed 25%	Should not be less than 15 cm. long. free from dust or other extraneous matter, light to heavy body, good to fair aroma and burning.	The leaves shall : 1. be reasonably uniform in shape colour characteristic of the variety type ; 2. be mature solid in feel ;	
CEF II	-do-	-do-	Not to exceed 65%	-do- Medium to heavy body, Fair to average aroma and moderate burning should not be less than 12 cm. long, free from dust or other extraneous matter.	3. be thoroughly air cured and dried and with a reasonable moisture ; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.	

*Cigar Filler leaf (aircured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXI

Grade designation and definition of quality of unmanufactured air-cured cigar tobacco (CIGAR) (Commonly grown in Andhra Pradesh State) *Filler (Nicotiana tabacum) type IV

Grade Designation	**Colour	Texture	†Blemish	Size, Shape, body, aroma, burning	General characteristics	Remarks
COF I	Light Dark Heavy Dark	Medium to coarse	Not to exceed 25%	Should not be less than 15 cm. long, free from dust or other extraneous matter, light to heavy body, good to fair aroma and burning.	The leaves shall : 1. be reasonably uniform in shape, colour characteristic of the variety type ; 2. be mature solid in feel ;	
COF II	-do-	-do-	Not to exceed 65%	Medium to heavy body, Fair to average aroma, and moderate burning. Should not be less than 12 cm. long. Free from dust or other extraneous matter.	3. be thoroughly air cured and dried and with a reasonable moisture. 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.	

*Cigar Filler leaf (Air-cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots, and damage due to pest and diseases, breakage in handling, sponging and black spots, the figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXII

Grade designation and definition of quality of unmanufactured air-cured tobacco (SOUTHERN) (Commonly grown in Tamil Nadu State) *Filler (Nicotiana tabacum) type V

Grade Designation	**Colour	Texture	†Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
STF I	Light Brownish Dark/heavy dark	Medium to coarse	Not to exceed 25%	Should not be less than 15 cm. long, free from dust or other extraneous matter, light to heavy, Good to fair aroma and burning.	The leaves shall : 1. be reasonably uniform in shape, colour characteristics of the variety/type. 2. be mature, solid in feel	
STF II	-do-	-do-	Not to exceed 65%	Medium to heavy body, Fair to average aroma and moderate burning. Should not be less than 12 cm. long. Free from dust or other extraneous matter.	3. be thoroughly air-cured and dried with a reasonable moisture. 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.	

*Cigar filler leaf (air-cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXIII

Grade designation and definition of quality of unmanufactured air-cured cigar tobacco (SOUTHERN) (Commonly grown in Mysore State) *Filler *Nicotiana tabacum* Type-VI

Grade Designation	**Colour	Texture	†Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
SMF I	Almond Brown Light to Brownish Dark	Medium to Average	Not to exceed 25%	Shall not be less than 15 cm. long, free from dust or other extraneous matter, light to heavy body, good to fair aroma and burning.	The leaves shall : 1. be reasonably uniform in shape, colour characteristic of the variety type ;	
SMF II	-do-	-do-	Not to exceed 65%	Shall not be less than 12 cm. long, free from dust or other extraneous matter, medium to heavy body, fair to average aroma and moderate burning.	2. be mature solid in feel ; 3. be thoroughly air-cured and dried with a reasonable moisture. 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.	

*Cigar filler leaf (air-cured) tobacco may include any of the indigenous varieties of *Nicotiana tabacum* but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakage, in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXIV

Grade designation and definition of quality of unmanufactured air-cured cigar tobacco (NORTHERN) (Commonly grown in West Bengal) *Binder Leaf (*Nicotiana*) Type-VII

Grade Designation	**Colour	Texture	†Blemish	Size, shape, body, aroma, burning	General Characteristics	Remarks
NBB I	Medium Green	Fine to Medium Fairly elastic	Not to exceed 10%	Length above 30 cm. thin to medium body, oily, depressed veins, good aroma and burning	The leaves shall : 1. be reasonably uniform in shape, colour characteristic of the variety type ; 2. be mature solid in feel ;	
NBB II	-do-	-do-	Between 11 to 25%	Between 20. cm to 30 cm. long, medium body, oily, depressed from prominent veins, good aroma and burning	3. be thoroughly air-cured and dried with a reasonable moisture ; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc;	
NBB III	Medium to Deep Olive Green	Medium semi-elastic	Between 26 to 50%	Between 15 cm. to 20 cm. long medium body, less oily, depressed from prominent veins, fair aroma and moderate burning.	5. be reasonably free from perforations.	

*Cigar Binder leaf (air-cured) tobacco may include any of the indigenous varieties of *Nicotiana tabacum* but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots, and damage due to pest and diseases, breakage in leaves affected in any sample. Sponging and black spots. The figures of proportions given in the column 4 refer to the total area of sponging.

SCHEDULE XXV

Grade designation and definition of quality of unmanufactured air-cured Cigar Tobacco (Northern) (commonly grown in West Bengal, Bihar and Northern India States) *Binder Leaf (Nicotiana Tabacum) Type-VIII

Grade Designation	**Colour	Texture	†Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
NB I	Medium Almond Brown	Fine to Medium Fairly elastic	Not to exceed 10%	Length above 30 cm. Thin to medium body, oily, depressed veins, good aroma and burning.	The leaves shall: 1. be reasonably uniform in shape, colour, characteristic of the variety type;	
NB II	Do.	Do. elastic	Between 11 to 25%	Between 20 cm. to 30 cm. in length, medium body, oily, depressed from prominent veins, good aroma and burning.	2. be mature solid in feel; 3. be thoroughly air-cured and dried and with a reasonable moisture;	
NB III	Medium to deep Almond brown	Medium elastic	Between 26 to 50%	Between 15 cm. to 20 cm. long, medium body, less oily, depressed from prominent veins, fair aroma and moderate burning.	4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus. 5. be reasonably free from perforation.	

*Cigar Binder leaf (air-cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots, and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXVI

Grade designation and definition of quality of unmanufactured air-cured Cigar Tobacco (Commonly grown in East and West Godavari Districts of Andhra Pradesh State) *Binder Leaf (Nicotiana Tabacum) Type-IX

Grade Designation	**Colour	Texture	†Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
CEB I	Light Brown Light Mahogany Brown	Fine to Medium elastic	Not to exceed 10%	Length above 30 cm. thin to medium body, oily depressed, less prominent veins, pleasant aroma and uniform burning.	The leaves shall: 1. be reasonably uniform in shape, colour, characteristic of the variety type;	
CEB II	Medium Brown Medium Mahogany Brown	Medium, Fairly, elastic	Between 11 to 25%	Between 20 to 30 cm. long medium body, oily, depressed, few prominent vein, pleasant aroma and uniform burning.	2. be mature solid in feel; 3. be thoroughly air-cured and dried and with a reasonable moisture;	
CEB III	Dark Brown Deep Mahogany Brown	Medium Semi elastic	Between 26 to 50%	Between 15 cm. to 20 cm. long medium body, less oily, depressed few prominent veins, fair aroma, moderate burning.	4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc. 5. be reasonably free from perforation.	

*Cigar Binder Leaf (air-cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spot and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXV II

Grade designation and definition of quality of unmanufactured air-cured Cigar Tobacco (commonly grown in Andhra Pradesh State)
*Binder Leaf (Nicotiana Tabacum) Type-X

Grade Designation	**Colour	Texture	† Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
1	2	3	4	5	6	7
I	Light Brown	Fine to medium elastic	Not to exceed 10%	Length above 30 cm. and thin of medium body, oily, depressed veins, pleasant aroma and uniform burning.	The leaves shall: 1. be reasonably uniform in shape, colour, characteristic of the variety type;	
II	Medium Brown	Medium, Fairly elastic	Between 11 to 25%	Between 20 cm. to 30 cm. long medium body, oily depressed few prominent veins, pleasant aroma and uniform burning.	2. be mature solid in feel; 3. be thoroughly air cured and dried and with a reasonable moisture; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture of fungus etc.	
III	Dark Brown	Medium Semi-elastic	Between 26 to 50%	Between 15 to 20 cm. long medium body less oily, depressed few prominent veins, fair aroma and moderate burning.	5. be reasonably free from perforation.	

*Cigar binder leaf (air cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakages in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXIII

Grade designation and definition of quality of unmanufactured air-cured Cigar Tobacco (Southern) Commonly grown in Tamilnadu State
*Binder Leaf (Nicotiana Tabacum) Type-XI

Grade Designation	**Colour	Texture	† Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
1	2	3	4	5	6	7
STB I	Light Brown Light Mahagony Brown	Fine to Medium elastic	Not to exceed 10%	Length above 30 cm. thin to medium body, oily depressed, less prominent veins pleasant aroma and uniform burning.	The leaves shall: 1. be reasonably uniform in shape, colour, characteristic of the variety type;	
STB II	Medium Brown Medium Mahagony brown	Medium, Fairly elastic	Between 11 to 25%	Between 20 cm. to 30 cm. long medium body, oily, depressed few prominent veins, pleasant aroma and uniform burning.	2. be mature solid in feel; 3. be thoroughly air-cured and dried and with a reasonable moisture; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.	
STB III	Dark Brown Deep Mahagony Brown	Medium, Semi-elastic	Between 26 to 50%	Between 15 cm. to 20 cm. long, medium body, less oily, depressed few prominent veins, fair aroma, moderate burning.	5. be reasonably free from perforation.	

*Cigar binder leaf (air cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXIX

Grade designation and definition of quality of unmanufactured air cured Cigar Tobacco (Southern) (commonly grown in Mysore State)
*Binder Leaf (Nicotiana Tabacum) Type-XII

Grade Designation	** Colour	Texture	† Blemish	Size, shape, body, aroma, burning	General Characteristics	Remarks
1	2	3	4	5	6	7
SMB I	Light Brown Light Brown Dark Mahogany Brown olive green	Fine to Medium elastic	Not to exceed 10%	Length above 30 cm. thin to medium body, oily depressed veins, pleasant aroma and uniform burning.	The leaves shall: 1. be reasonably uniform in shape, colour characteristic of the variety type; 2. be mature solid in feel;	
SMB II	Medium Brown Medium Mahogany Brown Olive Deep Green	Medium, Fairly elastic	Between 11 to 25%	Between 20 cm. to 30 cm. long, medium body, oily depressed few prominent veins pleasant aroma and uniform burning.	3. be thoroughly air cured and dried and with a reasonable moisture; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.;	
SMB III	Dark Deep Mahogany Deep Olive Green	Medium Semi-elastic	Between 26 to 50%	Between 15 cm. to 20 cm. long, medium body less oily, depressed few prominent veins, fair aroma and moderate burning.	5. be reasonably free from perforation.	

*Cigar binder leaf (air cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakages in handling, sponging and black spots. The figures of proportion given in column 4 refers to the total area of leaves affected in any sample.

SCHEDULE XXX

Grade designation and definition of quality of unmanufactured air cured Cigar Tobacco (Northern) (Commonly Grown in West Bengal State) *Wrapper Leaf (Nicotiana Tabacum) Type-XIII

Grade Designation	** Colour	Texture	† Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
1	2	3	4	5	6	7
IBW I	Light Olive Green	Fine, silky elastic	Not to exceed 5%	Length 40 cm. and above. Thin body, very oily, very spready, uniform depressed with few thin veins, good aroma and burning.	The leaves shall: 1. be reasonably uniform in shape, colour characteristic of the variety type; 2. be mature solid in feel;	
IBW II	Do.	Do.	Between 6 to 10%	Between 30 cm. to 30 cm. long, thin body, oily, fairly spready uniform, depressed with few thin veins, good aroma and burning.	3. be thoroughly air cured and dried and with a reasonable moisture; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus;	
IBW III	Medium Olive Green	Fine to medium, fairly silky Semi-elastic	Between 11 to 15%	Between 20 cm. to 30 cm. long, medium body, less oily, spready uniform, depressed with few thin veins, fair aroma and burning.	5. be reasonably free from perforation.	
IBW IV	Do.	Do.	Between 16 to 20%	Between 10 cm. to 20 cm. long medium body, less oily, spready uniform, depressed with few veins, fair aroma and burning.		

*Cigar Wrapper leaf (air cured) Tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage to pest and diseases, breakage in handling sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXXI

Grade designation and definition of quality of unmanufactured Aircured Cigar Tobacco (Northern) (Commonly grown in West Bengal, Bihar and Northern Indian States)* Wrapper Leaf (Nicotiana Tabacum) Type XIV

Grade Designation	** Colour	Texture	† Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
1	2	3	4	5	6	7
NW I	Light Brown	Almond Fine, silky elastic	Not to exceed 5%	Length 40 cm. and above, thin body very oily, very spready, uniform depressed with few thin veins, good aroma and burning.	The leaves shall: 1. be reasonably uniform in shape, colour, characteristic of the variety type; 2. be mature solid in feel; 3. be thoroughly aircured and dried and with reasonable moisture. 4. be reasonable free from damage caused by insects, mechanical injury and staining due to moisture or fungus; 5. be reasonably free from perforation.	
NW II	Do.	Do.	Between 6 to 10%	Between 30 cm. to 40 cm. long thin body, oily, fairly spready, uniform, depressed with few prominent thin veins, good aroma and burning.		
NW III	Medium Brown	Almond Fairly silky semi-elastic	Between 11 to 15%	Between 20 cm. to 30 cm. long medium body, less oily, spready uniform depressed with a few thin veins, fair aroma and burning.		
NW IV	Do.	Do.	Between 16 to 20%	Between 10 cm. to 20 cm. long, medium body, less oily, spready, uniform depressed with few thin veins, fair aroma and burning.		

*Cigar wrapper leaf (air cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 of colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pests and diseases, breakage in handling sponging and black spots. The figures of proportion given in column 4 refer to the total area of the leaves affected in any sample.

SCHEDULE XXXII

Grade designation and definition of quality of unmanufactured Aircured Cigar Tobacco (Circars) (Commonly grown in East and West Godavari District of Andhra Pradesh) *Wrapper Leaf (Nicotiana Tabacum) Type-XV

Grade Designation	** Colour	Texture	† Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
1	2	3	4	5	6	7
CEW I	Light Brown	Almond Fairly elastic	Not to exceed 5%	Length 40 cm. and above, medium body, oily, spready, uniform, very smooth, depressed and few thin veins, good aroma and burning.	The leaves shall: 1. be reasonably uniform in shape, colour, characteristic of the variety type; 2. be mature solid in feel; 3. be thoroughly aircured and dried and with a reasonable moisture; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.; 5. be reasonably free from perforation.	
CEW II	Do.	Do.	Between 6 to 10%	Between 30 cm. to 40 cm. long, medium body, oily, spready, uniform, smooth depressed with few thin veins, good aroma and burning.		
CEW III	Deep Brown to Brown	Almond Medium Fairly elastic	Between 11 to 15%	Between 20 cm. to 30 cm. long, medium to heavy body, less oily, spready, uniform, depressed with few veins, fair aroma and burning.		
CEW IV	Do.	Do.	Between 16 to 20%	Between 10 cm. to 20 cm. long, medium body, less oily, spready uniform depressed with few veins, fair aroma and burning.		

*Cigar wrapper leaf (aircured) tobacco may include any of the indigenous varieties of Nicotiana tabacum all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakage in handling sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXXIII

Grade designation and definition of quality of unmanufactured Cigar Tobacco (Circars) (Commonly grown in Andhra Pradesh)* wrapper leaf (Nicotiana Tabacum) Type-XVI

Grade Designation	** Colour	Texture	† Blemish	Size, shape, body, aroma, burning	General Characteristics	Remarks
1	2	3	4	5	6	7
COW I	Medium almond brown	Fine to Medium Fairly silky elastic	Not to exceed 5%	Length 40 cm. and above, thin body, oily, spready uniform, depressed with few thin veins good aroma with fair burning.	The leaves shall: 1. be reasonably uniform in shape colour, characteristic of the variety type;	
COW II	Do.	Do	Between 6 to 10%	Between 30 cm. to 40 cm. long, thin body, oily, spready, uniform depressed with few thin veins, good aroma with fair burning.	2. be mature solid in feel; 3. be thoroughly air cured and dried and with a reasonable moisture; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture on fungus;	
COW III	Deep Almond Brown to Dark Brown	Medium Fairly elastic	Between 11 to 15%	Between 20 cm. to 30 cm. long, medium body, less oily, spready depressed with few veins, fair aroma with moderate burning.	5. be reasonably free from perforation.	
COW IV	Do.	Do.	Between 16 to 20%	Between 10 cm. to 20 cm. long medium body, less oily, spready uniform, depressed with few veins, fair aroma with moderate burning.		

*Cigar wrapper leaf (air cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches brown spots and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures or proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXXIV

Grade designation and definition of quality of unmanufactured air-cured Tobacco (Southern) (Commonly grown in Tamilnadu State)
*Wrapper Leaf (Nicotiana Tabacum) Type-XVII

Grade Designation	** Colour	Texture	† Blemish	Size, shape, body, aroma, burning	General characteristics	Remarks
1	2	3	4	5	6	7
STW I	Medium Olive green/medium almond brown	Fine to Medium Fairly silky elastic	Not to exceed 5%	Length 40 cm. and above, thin body, oily, spready, uniform depressed with few thin veins good aroma with fair burning.	The leaves shall: 1. be reasonably uniform in shape, colour, characteristic of the variety type;	
STW II	Do.	Do.	Between 6 to 10%	Between 30 cm. to 40 cm. long, thin body, oily, spready, uniform, depressed with few thin veins, good aroma with fair burning.	2. be mature solid in feel; 3. be thoroughly air cured and dried and with a reasonable moisture; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture on fungus;	
STW III	Deep Green Deep almond brown or brown	Medium, fairly elastic	Between 11 to 15%	Between 20 cm. to 30 cm. long, medium body, less oily, spready depressed with few veins, fair aroma with moderate burning.	5. be reasonably free from perforation.	
STW IV	Do.	Do.	Between 16 to 20%	Between 10 cm. to 20 cm. long, medium body, less oily, spready uniform depressed with few veins, fair aroma with moderate burning.		

*Cigar wrapper leaf (air cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures or proportion given in column 4 refer to the total area of leaves affected in any sample.

SCHEDULE XXXV

Grade designation and definition of quality of unmanufactured air cured Cigar Tobacco (Southern) (Commonly grown in Mysore State) *Wrapper Leaf (Nicotiana Tabacum) Type XVIII

Grade Designation	** Colour	Texture	† Blemish	Size, shape, body, aroma, burning	General Characteristics	Remarks
1	2	3	4	5	6	7
SMW I	Light Almond Brown	Fine to Medium fairly silky, elastic	Not to exceed 5%	Length 40 cm. and above, medium body, oily, spready, uniform very smooth, depressed with few thin veins, good aroma and burning.	The leaves shall: 1. be reasonably uniform in shape, colour, characteristic of the variety type; 2. be mature solid in feel; 3. be thoroughly air cured and dried and with a reasonable moisture; 4. be reasonably free from damage caused by insects, mechanical injury and staining due to moisture or fungus etc.; 5. be reasonably free from perforations.	
SMW II	Do.	Do.	Between 6 to 10%	Between 30 cm. to 40 cm. long, medium body, oily, spready, uniform, smooth depressed with few thin veins, good aroma and burning.		
SMW III	Deep Almond Brown to Brown	Medium Fairly elastic	Between 11 to 15%	Between 20 cm. to 30 cm., long, medium to heavy body, less oily, spready, uniform, depressed with few veins, fair aroma and burning.		
SMW IV	Do.	Do.	Between 16 to 20%	Between 10 cm. to 20 cm. long, medium body, less oily, spready, uniform, depressed with few veins, fair aroma and burning.		

*Cigar wrapper leaf (air cured) tobacco may include any of the indigenous varieties of Nicotiana tabacum but all the leaves in any sample or container shall have similar varietal characteristics.

**To allow for accidental errors in grading, a tolerance of 1/16 for colour and texture in respect of leaves corresponding to the specifications in the next lower grade will be allowed.

†Blemish shall include green patches, brown spots and damage due to pest and diseases, breakage in handling, sponging and black spots. The figures of proportion given in column 4 refer to the total area of leaves affected in any sample.

[F. No. 13-6/72-AM]

T. D. MAKHIJANI, Under Secy.

सा. ख. नि. 935.—राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, लग्ग-निर्माण (लॉगिंग) प्रशिक्षण केन्द्र परियोजना (वर्ग 1 और वर्ग 2 पद) भर्ती नियम, 1968 में संशोधन करने के लिए निम्नीलिखित नियम बनाते हैं, अर्थात् :—

1. (1) इन नियमों का नाम लग्ग-निर्माण प्रशिक्षण केन्द्र परियोजना (वर्ग 1 और वर्ग 2 पद) भर्ती (संशोधन) नियम, 1973 है।

(2) ये राजपत्र में प्रकाशन की तारीख के प्रवृत्त होंगे।

2. लग्ग-निर्माण प्रशिक्षण केन्द्र परियोजना (वर्ग 1 और वर्ग 2 पद) भर्ती नियम, 1968 में नियम 6 के पश्चात् निम्नीलिखित नियम जोड़ा जाएगा अर्थात् :—

7. **व्यावृत्ति.**—इन नियमों की कोई भी बात ऐसे आरक्षणों और अन्य रियायतों पर प्रभाव नहीं डालेगी जिनका केन्द्रीय सरकार द्वारा इस संबंध में समय-समय पर निकाले गए आदेशों के अनुसार अनुसूचित जातियों और अनुसूचित जनजातियों और अन्य विशेष प्रवर्गों के व्यक्तियों के लिए उपबंध करना अपेक्षित है।

[सं. सी. 11017/1/72-एफ. आर. वार्ड. (एफ-2)]

G.S.R. 935.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules to amend the Logging Training Centres Project (Class I and Class II Posts) Recruitment Rules, 1968, namely :—

1. (1) These Rules may be called the Logging Training Centres Project (Class I and Class II posts) Recruitment (Amendment) Rules, 1973.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Logging Training Centres Project (Class I and Class II posts) Recruitment Rules, 1968, after rule 6, the following rule shall be inserted, namely :—

"7. **Saving.**—Nothing in these rules shall affect reservations and other concessions required to be provided for Scheduled Castes, Scheduled Tribes and other special categories of persons in accordance with the orders issued by the Central Government from time to time in this regard."

[No. C-11017/1/72-FRY (F II)]

सा. का. नि. 936.—राष्ट्रपति, संविधान के अनुच्छेद 309 के परमपुत्र द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, लॉगिंग-निर्माण (लॉगिंग) प्रशिक्षण केंद्र परियोजना (वर्ग 3 और वर्ग 4 पद) भर्ती नियम, 1967 में संशोधन करने के लिए निम्नलिखित नियम बनाते हैं, अर्थात् :—

1. (1) इन नियमों का नाम लॉगिंग-निर्माण प्रशिक्षण केंद्र परियोजना (वर्ग 3 और वर्ग 4 पद) भर्ती (संशोधन) नियम, 1973 है।

(2) ये राजपत्र में प्रकाशन की तारीख के प्रवृत्त होंगे।

2. लॉगिंग-निर्माण प्रशिक्षण केंद्रीय परियोजना (वर्ग 3 और वर्ग 4 पद) भर्ती नियम, 1967 में नियम 6 के पश्चात् निम्नलिखित नियम जोड़ा जाएगा, अर्थात् :—

“7. **व्याख्या.**—इन नियमों की कोई भी बात ऐसे आरक्षणों और अन्य रियायतों पर प्रभाव नहीं डालेगी जिनका केंद्रीय सरकार द्वारा इस संबंध में समय-समय पर निकाले गए आदेशों के अनुसार अनुसूचित जातियों और अनुसूचित जनजातियों और अन्य विशेष प्रवर्गों के व्यक्तियों के लिए उपबंध करना अपेक्षित है”।

[मं. सी-11017/1/72-एफ. आर. वाई. (एफ. 2)]

रूप राम, अवर सचिव

G.S.R. 936.—In exercise of the powers conferred by the proviso to Article 309 of the Constitution, the President hereby makes the following rules to amend the Logging Training Centres Project (Class III and Class IV posts) Recruitment Rules, 1967, namely:—

1. (1) These rules may be called the Logging Training Centres Project (Class III and Class IV posts) Recruitment (Amendment) Rules, 1973.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Logging Training Centres Project (Class III and Class IV posts) Recruitment Rules, 1967, after rule 6, the following rule shall be inserted namely:—

“7. **Saving.**—Nothing in these rules shall affect reservations and other concessions required to be provided for Scheduled Castes, Scheduled Tribes and other special categories of persons in accordance with the orders issued by the Central Government from time to time in this regard.”

[No. C-11017/1/72-FRY(FII)]

RUP RAM, Under Secy.

MINISTRY OF COMMUNICATIONS

(Posts & Telegraphs Board)

New Delhi, the 22nd August, 1973

G.S.R. 937.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules further to amend the Posts and Telegraphs Department, Civil Engineering Ferro-printer and Draftsman/Recruitment Rules, 1970, namely:—

1. (1) These rules may be called the Posts and Telegraphs Department, Civil Engineering Wing (Ferro-printer and Draftsman) Recruitment (Amendment) Rules, 1973.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Posts and Telegraphs Department, Civil Engineering Wing (Ferro-printer and Draftsman) Recruitment Rules, 1970 (hereinafter referred to as the said rules), in the recital invoking the power to make the said rules, for the word “Draftsman”, the words “Civil Draftsman,” shall be substituted.

3. In rule 1 of the said rules, in sub-rule (i), for the word “Draftsman”, the words “Civil Draftsman” shall be substituted.

4. For rules 5 and 6 of the said rules, the following rules shall be substituted, and a new rule 7 added thereafter, namely:—

“5. **Disqualifications.**—No person,

(a) who has entered into or contracted a marriage with a person having a spouse living, or

(b) who, having a spouse living, has entered into or contracted a marriage with any person.

shall be eligible for appointment to any of the said posts :

Provided that the Central Government may, if satisfied that such marriage is permissible under the personal law applicable to such person and the other party to the marriage and there are other grounds for so doing, exempt any person from the operation of this rule.

6. **Power to relax.**—Where the Central Government is of the opinion that it is necessary or expedient so to do, it may, by order and for reasons to be recorded in writing, relax any of the provisions of these rules with respect to any class or category of persons or posts.

7. **Saving.**—Nothing in these rules shall affect reservation and other concessions required to be provided for the Scheduled Castes and the Scheduled Tribes and other special categories of persons in accordance with orders issued by the Central Government from time to time in this regard.”

5. In Schedule II to the said rules, against the post of Draftsman—Grade III,

(a) under column 7, for the existing entry, the following entry shall be substituted, namely :

“Certificate or Diploma in Draftsmanship, with a course of not less than two years' duration, including practical training of six months”;

(b) under column 10, for the existing entry, the following entry shall be substituted, namely :

“66-2/3 per cent by direct recruitment; 33-1/3 per cent by promotion”;

(c) under column 11, for the existing entries, the following entry shall be substituted, namely :—

“Promotion from amongst Ferro-printers, who are Matriculate and have put in a minimum of five years' continuous service in the Civil Engineering Wing of the Department, and have passed a departmental test to be eligible for promotion”.

6. In Schedule III to the said rules, against the post of Draftsman—Grade II,

(a) under column 6, for the existing entry, the following entry shall be substituted, namely :

“Not applicable”;

(b) under column 7, for the existing entry, the following entry shall be substituted, namely :—

“Not applicable”;

(c) under column 8, for the existing entry, the following entry shall be substituted, namely :—

“Not applicable”;

(d) under column 10, for the existing entry, the following entry shall be substituted, namely :—

“100 per cent by promotion, failing which by transfer”;

(e) under column 11, for item (b) and the entry relating thereto, the following shall be substituted, namely :—

“(b) Transfer of suitable persons holding similar or equivalent posts either in other Offices of the Posts and Telegraphs Department or in other Central Government Department.”

[No. 4-17/69-STB.II]

K. V. LAKSHMANAN, Assistant Director General (STN)

**संचार संचालक
(हाक-तार बोर्ड)**

नई दिल्ली, 24 अगस्त, 1973

सा. ख. नि. 938.—संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए राष्ट्रपति, हाक-तार निदेशालय में प्रधान सफाई कर्ता के पद की भर्ती के तरीके को नियमित बनाने के लिए एतद्वारा निम्नीलिखित नियम बनाते हैं, अर्थात् :—

1. (1) इन नियमों का नाम हाक-तार निदेशालय (प्रधान सफाई कर्ता) भर्ती नियम, 1973 होगा।

(2) ये सरकारी राजपत्र में प्रकाशित होने की तारीख से प्रवृत्त होंगे।

2. लागू होना.—इसके साथ अनुबंधित अधिसूची के कलम 2 में निर्धारित पद के लिए ये नियम लागू होंगे।

3. पदों की संख्या, वर्गीकरण और वेतनमान.—उक्त पद की संख्या, उसका वर्गीकरण और वेतनमान वही होगा जैसा कि उक्त अधिसूची के कलम 3 से 5 तक में निर्धारित है।

4. भर्ती का तरीका, आयु-सीमा और अन्य योग्यताएं.—उक्त पद के लिए भर्ती का तरीका, आयु सीमा, योग्यताएं और अन्य

संबंधित बातें वही होंगी जैसा कि पूर्वोक्त अधिसूची के कलम 6 से 14 तक में निर्धारित है।

5. अपवादताएं.—कोई भी ऐसा व्यक्ति,

(क) जिसने किसी भी व्यक्ति के साथ विवाह कर लिया है या विवाह का करार किया हो, जिसके पहले से ही एक जीवित पति/पत्नी है, या

(ख) जिसने पति/पत्नी के जीवित रहते किसी व्यक्ति के साथ विवाह कर लिया हो अथवा विवाह का करार किया हो तब तक उक्त पद पर नियुक्ति का पात्र नहीं होगा, जब तक कि केन्द्रीय सरकार इस बात से संतुष्ट होकर कि ऐसे व्यक्ति और विवाह की दूसरी पार्टी के साथ लागू वैयक्तिक कानून के अधीन ऐसे विवाह की अनुमति दी जा सकती है और ऐसा करने के लिए और भी आधार है, इस नियम के लागू होने से किसी व्यक्ति को छूट दे सकती है।

6. छूट देने की शक्ति.—जहां केन्द्रीय सरकार की राय हो कि ऐसा करना आवश्यक या समीचीन है, वहां वह, उसके लिए जो कारण हैं उन्हें लेखबद्ध करके आदेश द्वारा किसी वर्ग या श्रेणी के व्यक्तियों की भावत छूट दे सकती है।

7. अपवाद.—केन्द्रीय सरकार द्वारा अनुसूचित जाति और अनुसूचित जनजाति तथा अन्य विशेष श्रेणियों के व्यक्तियों के लिए दिए जाने वाले आरक्षणों और स्थायता के संबंध में समय-समय पर जारी किए गए आदेशों के अनुसार ऐसे व्यक्तियों को जो आरक्षण और स्थायता दी जानी चाहिए उन पर इन नियमों का कोई प्रभाव नहीं पड़ेगा।

अधिसूची

क्रम सं०	पद का नाम	पद की संख्या	वर्गीकरण	वेतनमान	क्या चुनाव या गैर चुनाव पद है	सीधी भर्ती के लिए आयु-सीमा	सीधी भर्ती के लिए अपेक्षित शिक्षा और अन्य योग्यताएं
1	2	3	4	5	6	7	8
1	प्रधान सफाई कर्ता	1	सामान्य केन्द्रीय सेवा श्रेणी IV भराज-पंक्ति।	रु० 75-1-85-ब०रो० 2-95	लागू नहीं	लागू नहीं	लागू नहीं
<p>क्या सीधी भर्ती के लिए निर्धारित आयु और शैक्षणिक योग्यताएं प्रोत्ति प्राप्त उम्मीदवारों के लिए लागू होंगी</p>							
परिबीक्षा अवधि यदि कोई है		भर्ती का तरीका सीधी भर्ती द्वारा या प्रोत्ति द्वारा है या प्रन्तरण और रिक्तियों की प्रतिफलता द्वारा विभिन्न तरीकों द्वारा भरे जाते हैं		प्रोत्ति/प्रन्तरण द्वारा भर्ती के मामले में वे पद कम मिलेंगे जिनसे प्रोत्ति/प्रन्तरण किया जाना है		यदि कोई विभागीय प्रोत्ति समिति हो तो उसका मठल क्या है	
नहीं		10 वर्ष		100 प्रतिशत प्रोत्ति द्वारा		सीधी भर्ती करने के लिए संघ लोक सेवा आयोग से किए परिस्थितियों में परामर्श लिया जाना है	
9		10		11		12	
13		14		15		16	
आवश्यक नहीं		10 वर्ष		100 प्रतिशत प्रोत्ति द्वारा		हाक-तार निदेशालय में सफाई कर्ता हो और पदक्रम में 3 वर्ष की सेवा हो	
						श्रेणी IV विभागीय प्रोत्ति समिति	
						आवश्यक नहीं	

[सं. 12-11/73-प्रशासन]

सत्यपाल अनीजा, सहायक महानिदेशक (प्रशासन)

New Delhi, the 24th August, 1973

G.S.R. 938.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules regulating the methods of recruitment to the post of Head Sweeper in the Posts and Telegraphs Directorate, namely:—

1. (1) These rules may be called the Posts and Telegraphs Directorate (Head Sweepers) Recruitment Rules, 1973.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. **Application.**—These rules shall apply to the post specified in column 2 of the Schedule annexed hereto.

3. **Number of posts, qualification and scale of pay.**—The number of the said post, its classification and the scale of pay attached thereto shall be as specified in columns 3 to 5 of the said Schedule.

4. **Method of recruitment, age limit and other qualifications.**—The method of recruitment to the said post, age limit, qualifications and other matters connected therewith shall be as specified in columns 6 to 14 of the schedule aforesaid.

5. **Disqualifications.**—No person,

(a) who has entered into or contracted a marriage with a person having a spouse living, or

(b) who, having a spouse living, has entered into or contracted a marriage with any person,

shall be eligible for appointment to the said posts:

Provided that the Central Government may, if satisfied that such marriage is permissible under the personal law applicable to such person and the other party to the marriage and there are other grounds for so doing, exempt any person from the operation of this rule.

6. **Power to relax.**—Where the Central Government is of opinion that it is necessary or expedient so to do, it may, by order and for reasons to be recorded in writing, relax any of the provisions of these rules with respect to any class or category of persons.

7. **Savings.**—Nothing in these rules shall affect reservations and other concessions required to be provided for candidates belonging to the Schedule Castes, the Scheduled Tribes and other special categories in accordance with the orders issued by the Central Government from time to time in this regard.

SCHEDULE

Sl. No.	Name of the post	No. of post	Classification	Scale of pay	Whether selection or non-selection post	Age limit for direct recruits	Education and other qualifications required for direct recruits
1	2	3	4	5	6	7	8
1.	Head Sweeper	1	G.C.S. Class IV Non-Gazetted	Rs. 75-1-85-EB-2-95	Not-applicable	Not-applicable	Not-applicable
Whether age and educational qualifications prescribed for direct recruits will apply in the case of promotees		Period of probation if any	Method of recruitment whether by direct recruitment or by promotion or transfer and percentage of vacancies to be filled by various methods	In case of recruitment by promotion / transfer grades from which promotion/transfer to be made	If a D. P. C. exists, what is its composition	Circumstances in which UPSC to be consulted in making recruitment	
9		10	11	12	13	14	
N A		Two years	100% By promotion	Sweeper in the Posts & Telegraphs Directorate with 3 years service in the grade.	Class IV DPC	N A	

[No. 12-11/73-Admn.1
S. P. ANEJA, Asstt. Director (Adm.).

नॉबहन और परीखहन मंत्रालय

(परिखहन पक्ष)

नई दिल्ली, 9 अगस्त, 1973

(पत्तन)

सा. का. नि. 939.—सद्वृत्ति, संविधान के अनुच्छेद 309 के प्रत्येक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, मंगलौर और तूतीकोरिन बंदरगाह परियोजना (वर्ग 1 और वर्ग 2 पत्तन) भर्ती नियम, 1965 में और संशोधन करने के लिए निम्नलिखित नियम बनाते हैं, अर्थात्:—

1. (1) इन नियमों का नाम मंगलौर और तूतीकोरिन बंदरगाह परियोजना (वर्ग 1 और वर्ग 2 पत्तन) भर्ती (संशोधन) नियम, 1973 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. मंगलौर तथा तूतीकोरिन बंदरगाह परियोजना (वर्ग 1 और वर्ग 2 पत्तन) भर्ती नियम, 1965 की अनुसूची में सहायक इंजीनियर

(सीविल) के पद से संबंधित क्रम संख्या 2 के सामने, स्तम्भ 2 में प्रविष्टि के स्थान पर निम्नलिखित प्रविष्टि रखी जाएगी, अर्थात्:—

प्रोन्नीत

अनुभाग अधिकारी (सीविल), जिसकी, उपाधिकारियों की वृत्ति में, 3 वर्ष की और डिप्लोमाधारियों की वृत्ति में, 8 वर्ष की सेवा हो और नवशानवीस श्रेणी 1 (सीविल) (डिप्लोमाधारी), जिनकी उस श्रेणी में 8 वर्ष की सेवा हो, जिसके अंतर्गत एक वर्ष का क्षेत्र अनुभव भी सम्मिलित है।

प्रतिनियुक्ति पर स्थानांतरण

केंद्रीय सरकार अथवा राज्य सरकारों के अधीन अथवा बड़े पत्तन न्यासी अथवा लोक अनुभाग उपक्रमों में समस्त पद धारण करने वाले उपयुक्त अधिकारी (प्रतिनियुक्ति की अवधि सामान्यतः 3 वर्ष से अधिक नहीं होगी)।

[संख्या 3-पी. ई.(30)/72]
श्रीमती बी. निर्मल, अवर सचिव

MINISTRY OF SHIPPING AND TRANSPORT

(Transport Wing)

New Delhi, the 9th August, 1973

(Ports)

G.S.R. 939.—In exercise of the powers conferred by the hereby makes the following rules further to amend the Mangalore and Tuticorin Harbour Projects (Class I and Class II posts) Recruitment Rules, 1965, namely:—

1. (1) These rules may be called the Mangalore and Tuticorin Harbour Projects (Class I and Class II posts) Recruitment (Amendment) Rules, 1973.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Schedule to the Mangalore and Tuticorin Harbour Projects (Class I and Class II posts) Recruitment Rules, 1965, against Serial No. 2, relating to the post of "Assistant Engineer (Civil)" in column 11, for the entry, the following entry shall be substituted, namely:—

"Promotion.—Section Officers (Civil) with 3 years service in the case of degree holders and 8 years for diploma holders and Draftsman Grade I (Civil) (diploma holders) with 8 years service in the grade including one year's field experience.

Transfer on deputation.—Suitable officers holding equivalent posts under Central Government or State Governments or Major Port Trusts or Public Sector Undertakings. (Period of deputation ordinarily not exceeding 3 years)".

[No. 3-PE(30)/72]

SMT. B. NIRMAL, Under Secy.

श्रम और पुनर्वास मंत्रालय

(श्रम और रोजगार विभाग)

नई दिल्ली, 23 अगस्त, 1973

सा. क्र. नि. 940.—कर्मचारी भविष्य निधि और कटुम्ब पेंशन निधि अधिनियम, 1952 (1952 का 19) की धारा 7 की उप-धारा (1) के साथ पठित धारा 6-क द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार, कर्मचारी कटुम्ब पेंशन स्कीम 1971 में और संशोधन करने के लिए निम्नलिखित स्कीम बनाती है, अर्थात्:—

1. (1) इस स्कीम का नाम कर्मचारी कटुम्ब पेंशन (तृतीय संशोधन) स्कीम, 1973 है।

(2) यह राजपत्र में प्रकाशन की तारीख से प्रवृत्त होगी।

2. (1) कर्मचारी कटुम्ब पेंशन स्कीम, 1971 में, पैरा 4 के उपपैरा 2-ख के पश्चात् निम्नलिखित उप-पैरा अन्तःस्थापित किया जाएगा, अर्थात्:—

"(2ग) उप-पैरा (1) में निर्दिष्ट वे कर्मचारी भी, जो उप-पैरा (2) में निर्दिष्ट विकल्प का प्रयोग करने के लिए नियत तारीख के अबलान तक नियोजन में नहीं थे, 30 नवम्बर, 1973 को या उससे पूर्व प्ररूप 1 में विकल्प का प्रयोग कर सकेंगे।"

(2) पैरा 4 के पश्चात् निम्नलिखित पैरा अन्तःस्थापित किया जाएगा, अर्थात्:—

53 G of I/73—6.

"4-क. कानूनी उपबंधों के विलम्बित अनुपालन के मामलों में इस स्कीम में सम्मिलित होने का विकल्प —

(1) ऐसे प्रत्येक कर्मचारी को भी, जो ऐसे कारखानों और अन्य स्थापनों की, जिन्हें नियोजक द्वारा कानूनी उप-बंधों के विलम्बित अनुपालन, या तो वह सम्पूर्ण स्थापन के लिए या किसी एकल कर्मचारी की दशा में किसी लोप में हो या अन्यथा, के कारण अधिनियम की धारा 17 के अधीन 1 मार्च, 1971 से पूर्व की किसी तारीख से छूट प्राप्त हो, कर्मचारी भविष्य निधि या भविष्य निधियों के सदस्य के रूप में 1 मार्च, 1971 को या उसके पश्चात् अभ्यावेशित हो, इस स्कीम में सम्मिलित होने का विकल्प होगा।

(2) उप-पैरा (1) में विनिर्दिष्ट विकल्प का प्रयोग उस तारीख से, जिसको नियोजक, यथास्थिति, ऐसे कर्मचारी या कर्मचारियों की बाबत पहला भविष्य निधि अभिदाय वसूल करता है, तीन मास की अवधि के भीतर प्ररूप 1 में किया जाएगा, परन्तु उन कर्मचारियों की प्रत्येक, जिनकी बाबत पहला भविष्य निधि अभिदाय पहले से ही वसूल किया जा चुका है, विकल्प का प्रयोग इस संशोधन के प्रवृत्त होने की तारीख से तीन मास की अवधि के भीतर किया जाएगा।

(3) प्रत्येक नियोजक का यह कर्तव्य होगा कि वह उप-पैरा (1) में निर्दिष्ट विकल्प का प्रयोग ऐसे प्रत्येक सदस्य से कराए जिसको उप-पैरा (2) में विनिर्दिष्ट समय के भीतर विकल्प दिया गया है।"

(3) प्ररूप 1 में सब से ऊपर आने वाले "[पैरा 4(2)]" शब्दों, और अंकों और कोष्ठक के स्थान पर "[पैरा 4 के उप-पैरा (2), (2क), (2ख) और (2ग) तथा पैरा 4क का उप-पैरा (2)]" शब्द, अंक और कोष्ठक रखे जाएंगे।

[फ. सं. एस. 70011/2/72-पी. एफ. 2 (एफ. पी. जी.)]

वल्लभ सिंह, अवर सचिव

MINISTRY OF LABOUR AND REHABILITATION

(Department of Labour and Employment)

New Delhi, the 23rd August, 1973

G.S.R. 940.—In exercise of the powers conferred by section 6A read with sub-section (1) of section 7 of the Employees' Provident Funds and Family Pension Fund Act, 1952 (19 of 1952), the Central Government hereby makes the following Scheme further to amend the Employees' Family Pension Scheme, 1971 namely:—

1. (1) This Scheme may be called the Employees' Family Pension (Third Amendment) Scheme, 1973.

(2) It shall come into force on the date of its publication in the Official Gazette.

2. (i) In the Employees' Family Pension Scheme, 1971,—after sub-paragraph 2B of paragraph 4, the following sub-paragraph shall be inserted, namely:—

"(2C) Employees referred to in sub-paragraph (1), who were out of employment till the expiry of the stipulated date for exercise of option referred to in sub-paragraph (2) may also exercise the option in Form I on or before the 30th November, 1973".

(ii) After paragraph 4, the following paragraph shall be inserted namely:—

"4A Option for joining the Scheme in cases of belated compliance of the statutory provisions —

- (1) Every employee who is enrolled on or after the 1st day of March, 1971, as a member of the Employees Provident Fund or of Provident Funds of factories and other establishments exempted under section 17 of the Act from a date prior to the 1st day of March, 1971 on account of belated compliance of the statutory provisions by the employer either through an omission or otherwise for the whole establishment or in the case of any individual employee shall also have the option to join this Scheme.
- (2) The opinion referred to in sub-paragraph (1) shall be exercised in Form I within a period of 3 months from the date on which the employer recovers the first Provident Fund contribution in respect of such employee or employees as the

case may be, provided that in respect of such employees in whose respect the first Provident Fund contribution has been already recovered, the option shall be exercised within a period of 3 months from the date this amendment comes into force.

- (3) It shall be the duty of every employer to get the option referred to in sub-paragraph (1) exercised by every member to whom the option is given within the time specified in sub-paragraph (2)".

(iii) For the words, figures and bracket "[Paragraph 4(2)] occurring at the top of Form I, the words, figures and bracket" [sub-paragraph (2), (2A), (2B) and (2C) of paragraph 4 and sub-paragraph (2) of paragraph 4A] shall be substituted.

IF. No. S-70011/2/72-PF. II (FPG)]

DALJIT SINGH, Under Secy.